Journal of Applied Polymer Science

Author Index—Volume 86

Abadie, M. J. M.
—; Chia, N. R.; Boey, F.: Cure Kinetics for the Ultraviolet Cationic Polymerization of Cycloliphatic and Diglycidyl Ether of Bisphenol-A (DGEBA) Epoxy Systems with Sulfonium Salt using an Auto Catalytic Model, 1587
Abadie, M. J. M. See Boey, F., 518; Pamedytytė, V., 579
Abbasi, F.
—; Mirzadeh, H.; Katbab, A. A.: Comparison of Viscoelastic Properties of Polydimethylsiloxane/Poly(2-Hydroxyethyl Methacrylate) IPN's with Their Physical Blends, 3480
Abbey, K. J. See Canelas, D. A., 821
Abdelhakim, A. A. See Khalil, H. S. A., 2574
Abdel Hamied, S. F. See Abd El-Kader, K. A. M., 1219
Abd El-Kader, K. A. M.
—; Abdel Hamied, S. F.: Preparation of Poly(vinyl alcohol) Films with Promising Physical Properties in Comparison with Commercial Polyethylene Film, 1219
Abd-El-Messieh, S. L.
—; Eid, M. A. M.; Hussein, A. I.: Dielectric and Mechanical Properties of Polystyrene/Acrylonitrile–Butadiene Rubber Blends, 540
Abd-El-Nour, K. N. See Abou-Aiad, T. H., 2363
Abou-Aiad, T. H.
—; El-Sabee, M. Z.; Abd-El-Nour, K. N.; Saad, G. R.; El-Sayed, E.-S. A.; Gaafar, E. A.: Miscibility and the Specific Interaction of Polyhydroxybutyrate Blended with Polyvinylacetate and Poly(vinyl acetate-co-vinyl alcohol) with Some Biological Applications, 2363
Ab Rahman, M. Z. See Silong, S., 2653
Acierno, D. See Gorrasi, G., 347
Acosta, J. L.
—; González, L.; Ojeda, M. C.; Del Río, C.: Ionomer Composites Based on Sepiolite/Hydrogenated Poly(styrene butadiene) Block Copolymer Systems, 3512
Adachi, T.
—; Araki, W.; Nakahara, T.; Yamaji, A.; Gamou, M.: Fracture Toughness of Silica Particulate-Filled Epoxy Composite, 2261
—; See Araki, W., 2266
Adhikari, B. See Gupta, T., 90
Adhvaryu, A. See Erhan, S. Z., 1684
Afifi, H. See Mounir El Sayed, A., 2816
Agrawal, S. See Srivastava, A., 3197
Aguilar-Vega, M. J. See Loría-Bastarrachea, M. I., 2515
Ahjopalo, L. See Rich, J., 1
Ahmad, M. B. See Silong, S., 2653
Ahmad, M. U. See Khan, M. A., 692
Ahn, Y.-C.
—; Kim, H.-J.: A Study on the Rheological Properties and Processability of Polycarbonate, 2921
Akiba, I. See Lee, Y., 1736
Akiyama, S. See Lee, Y., 1736
Alagar, M. See Dinakaran, K., 2502
Alam, M. S.
—; Nakatani, H.; Goss, B. G. S.; Ichiki, T.; Liu, B.; Terano, M.: Improvement of the Photostability of Isotactic Polypropylene by the Incorporation of Ethylene, 1863
Al-Ati, T.
—; Hotchkiss, J. H.: Effect of the Thermal Treatment of Ionomer Films on Permeability and Permselectivity, 2811
Albrecht, G. See Lazik, W., 743
Alemdar, A. See Ece, Ö. I., 341
Alexandre, M. See Pluta, M., 1497
Alper, H. See Garcia, J. L., 1553
Alt, H. G. See Helldörfer, M., 3021
Alves, F. F. See Soares, B. G., 239
Alzorriz, M. See Ibarra, L., 335
Amaly, M. H. See Soliman, L. I., 1558
Amar, J. V. See Rao, V., 1702
Amari, T. See Sato, H., 443
Ambroziak, M.
—; Gruin, I.; Wronikowski, M.; Zdunek, K.: The Effect of Structural Features on Mechanical Properties of Loose Optical Fiber Poly(butylene terephthalate) Tubes, 2130
—; Gruin, I.; Zdunek, K.; Wronikowski, M.: Effect of Structural Features of Poly(butylene terephthalate) Tubes on the Useful Properties of the Loose Tube/Optical Fibers System in the Tubular Optical Fiber Cables, 2124
Amer, M. See Shehata, A. B., 2601
Aminabhavi, T. M. See Kurkuri, M. D., 272, 526, 3642
Amiya, S. See Kanekiyo, M., 504
An, Y. See Zuo, J., 2062
Anbarasan, R.
—; Jayaseharan, J.; Sudha, M.; Gopalan, A.: Free-Radical Grafting of 4-Vinyl Pyridine onto Nylon 6 Fiber, 3108
Anderson, G. L. See Macon, D. J., 1821
Andersson, T.
—; Wesslén, B.; Sandström, J.: Degradation of Low Density Polyethylene During Extrusion. I. Volatile Compounds in Smoke from Extruded Films, 1580
Ando, I. See Kanekiyo, M., 504
Anjum, N. See Gupta, B., 1118
Anleu, E.
—; Cardoso, J.; Manero, O.: Synthesis and Flocculation Properties of *N*-Oxide Polymers, 2693
Aoi, K. See Okada, M., 872
Aoki, T. See Hashimoto, K., 2307; Wróbel, A. M., 1445
Arai, T. See Tsukada, M., 1181
Araki, W.
—; Adachi, T.; Yamaji, A.; Gamou, M.: Fracture Toughness of Bisphenol A-Type Epoxy Resin, 2266
—; See Adachi, T., 2261
Areerat, S.
—; Hayata, Y.; Katsumoto, R.; Kegasawa, T.; Egami, H.; Ohshima, M.: Solubility of Carbon Dioxide in Polyethylene/Titanium Dioxide Composite Under High Pressure and Temperature, 282
Arndt, K.-F. See Atta, A. M., 1138
Arnold, J. C. See Brennan, L. B., 572
Arribas, J. M. See Marco, C., 531
Ashokan, P. V. See Rao, V., 1702

Assink, R. A.
—; Celina, M.; Minier, L. M.: Condition Monitoring of a Thermally Aged Elastomer by ^{1}H-NMR T_2 Relaxation Measurements of Solvent-Swelled Samples, 3636
Asthana, S.
—; Kennedy, J. P.: Novel Polyisobutylene Stars. XXIII. Thermal, Mechanical, and Processing Characteristics of Poly(phenylene ether)/Poly-divinylbenzene(polyisobutylene-*b*-polystyrene)$_{37}$ Blends, 2866
Atai, M.
—; Nekoomanesh, M.; Hashemi, S. A.; Yeganeh, H.: Synthesis and Characterization of BTDA-Based Dimethacrylate Dental Adhesive Monomer and Its Interaction with Ca^{2+} Ions, 3246
Atta, A. M.
—; Arndt, K.-F.: Synthesis and Characterization of Anionic Graft Copolymers Containing Poly(Ethylene Oxide) Grafts, 1138
Avérous, L. See Martin, O., 2586
Aw, H. S. See Lye, S. W., 456
Axtell, F. H. See Phinyocheep, P., 148
Aya, T. See Kasai, T., 684
Ayama, K. See Fujiyama, M., 2887

Baer, E.
—; Forward to Volume 86, Number 6, 2002, 1317
Baer, E. See Chang, A. C., 3625; Hu, Y. S., 98
Bailey, N. A.
—; Sandor, M.; Kreitz, M.; Mathiowitz, E.: Comparison of the Enthalpic Relaxation of Poly(Lactide–*co*-Glycolide) 50:50 Nanospheres and Raw Polymer, 1868
Bajaj, P.
—; Sreekumar, T. V.; Sen, K.: Structure Development during Dry–Jet–Wet Spinning of Acrylonitrile/Vinyl Acids and Acrylonitrile/Methyl Acrylate Copolymers, 773
Balaji, R.
—; Nanjundan, S.: Studies on Photosensitive Homopolymer and Copolymers Having a Pendant Photocrosslinkable Functional Group, 1023
Banach, M. J.
—; Clarson, S. J.; Beaucage, G.; Benkoski, J.; Mates, T.; Kramer, E. J.; Vaia, R. A.: Fabrication and Characterization of Planar and Channel Polymer Waveguides. III. Compositional Distribution and Solute Loss in Polymer Thin Films, 2021
Banerjee, A. See Datta, C., 3581
Banthia, A. K. See Nandi, A., 3180
Bartczak, Z.
—; Deformation of High-Density Polyethylene Produced by Rolling with Side Constraints. I. Orientation Behavior, 1396
—; Morawiec, J.; Galeski, A.: Deformation of High-Density Polyethylene Produced by Rolling with Side Constraints. II. Mechanical Properties of Oriented Bars, 1405
—; Morawiec, J.; Galeski, A.: Structure and Properties of Isotactic Polypropylene Oriented by Rolling with Side Constraints, 1413
—; See Morawiec, J., 1426
Baruah, S. D. See Saikia, P. J., 386
Baselga, J. See González-Benito, J., 2992
Bassani, A.
—; Pessan, L. A.: Toughening of Polypropylene with Styrene/Ethylene-Butylene/Styrene Tri-Block Copolymer: Effects of Reactive and Non-Reactive Compatibilization, 3466
Basu, D. See Datta, C., 3581
Basu, D. K. See Naskar, N., 3286
Bates, P. J. See Pagé, D. J. Y. S., 2713
Bathista, A. L. B. S. See Silva, E. O., 1848
Beaucage, G. See Banach, M. J., 2021
Beaudouin, C. See Brovelli, F., 1128
Beaujean, M. See Zanetti, M., 1855
Becker, M. See Zhang, H., 1817
Beekman, E.
—; Kocher, C.; Kokil, A.; Zimmermann, S.; Weder, C.: UV Polarizers Based on Oriented Poly(vinyl alcohol)–Chrysophenine–Congo Red Blend Films, 1235
Bekhuis, H. A. M. See Helmroth, I. E., 3185
BelBruno, J. J. See Sneshkoff, N., 3611
Benkoski, J. See Banach, M. J., 2021
Berglund, L. See Kornmann, X., 2643
Bernardo, M. V.
—; Blanco, M. D.; Olmo, R.; Teijón, J. M.: Delivery of Bupivacaine Included in Poly(acrylamide-co-monomethyl itaconate) Hydrogels as a Function of the pH Swelling Medium, 327
Bernède, J. C. See Brovelli, F., 1128
Bertilsson, H. See Liu, X., 2435, 2535
Bevis, M. J. See Sousa, R. A., 2873
Bhagawan, S. S. See Moly, K. A., 3210
Bhat, N. V.
—; Upadhyay, D. J.: Plasma-Induced Surface Modification and Adhesion Enhancement of Polypropylene Surface, 925
Bhattacharya, M. See John, J., 3097
Bhawal, S.
—; Devi, S.: Recalculation of the Monomer Reactivity and Experimental Differences in Emulsion and Microemulsion Copolymerizations of Partially Water-Soluble Monomers, 2802
Bhowmick, A. K.
—; Heslop, J.; White, J. R.: Photodegradation of Thermoplastic Elastomeric Rubber–Polyethylene Blends, 2393
Bhowmik, L. See Roy, B. C., 2662
Bhuniya, S.
—; Maiti, S.: Heterocyclic-Based Epoxy-Terminated Structural Adhesive. II. Curing, Adhesive Strength, and Thermal Stability, 3520
Bhuyan, M. Z. R. See Khan, M. A., 692
Bian, L.-J.
—; Qian, X.-F.; Yin, J.; Zhu, Z.-K.; Lu, Q.-H.: Eu^{3+} Complex/Polyimide Nanocomposites: Improvement in Mechanical and Thermal Properties, 2707
Bianchi, F.
—; Cantagallo, S.; Consolati, G.; Laporta, M.; Pegoraro, M.; Tieghi, G.; Zanderighi, L.: Properties of Bioriented Nylon 6 Films Related to Film Production Technology, 559
Bielinski, D.
—; Glab, P.; Slusarski, L.; Boiteux, G.; Chapel, J.-P.: Surface Migration of Carboxylic Acid in Styrene–Butadiene Rubber and Its Tribological Consequences, 3368
Bikiaris, D. N. See Karayannidis, G. P., 1931
Billon, N.
—; Henaff, V.; Haudin, J. M.: Transcrystallinity Effects in High-Density Polyethylene. II. Determination of Kinetics Parameters, 734

—; Henaff, V.; Pelous, E.; Haudin, J. M.: Transcrystallinity Effects in High-Density Polyethylene. I. Experimental Observations in Differential Scanning Calorimetry Analysis, 725
—; See Piorkowska, E., 1373
Biran, C.
—; Toppare, L.; Tinçer, T.; Yağci, Y.; Harabagiu, V.: Mechanical Properties of Conducting H-Type Polysiloxane–Polypyrrole Graft Copolymers and Polytetrahydrofuran–Polypyrrole Block Copolymers, 1663
Biswas, S. See Jana, S. C., 3596
Blanco, M. D. See Bernardo, M. V., 327
Boey, F.
—; Rath, S. K.; Ng, A. K.; Abadie, M. J. M.: Cationic UV Cure Kinetics for Multifunctional Epoxies, 518
—; See Abadie, M. J. M., 1587
Boiteux, G. See Bielinski, D., 3368; Tracz, A., 1329
Boldizar, A. See Liu, X., 2435, 2535
Bonfils, F. See Ehabe, E., 703
Bonilla, J. See Wu, C.-S., 1312
Bonin, H. W. See Pagé, D. J. Y. S., 2713
Borda, G. See Reyes, P., 381
Borges, C. P. See Di Luccio, M., 3085
Bose, N. R. See Ray, D., 1995
Botelho, E. C.
—; Nogueira, C. L.; Redzende, M. C.: Monitoring of Nylon 6,6/Carbon Fiber Composites Processing by X-ray Diffraction and Thermal Analysis, 3114
Bourbigot, S. See Devaux, E., 2416
Boutevin, B. See Gaboyard, M., 2011
Bratus, A. See Medvedevskikh, Y., 3556
Brennan, L. B.
—; Isaac, D. H.; Arnold, J. C.: Recycling on Acrylonitrile–Butadiene–Styrene and High-Impact Polystyrene from Waste Computer Equipment, 572
Bretas, R. E. S. See Guimarães, M. J. O. C., 2240
Brett, C. M. A. See Marques, A. P., 2182
Brouillet-Fourmann, S.
—; Carrot, C.; Lacabanne, C.; Mignard, N.; Samouillan, V.: Evolution of Interactions between Water and Native Corn Starch as a Function of Moisture Content, 2860
Brovelli, F.
—; Bernède, J. C.; Marsillac, S.; Díaz, F. R.; Del Valle, M. A.; Beaudouin, C.: Study of the I–V Characteristics of Organic Light-Emitting Diodes Based on Thiophene Vynilic Derivatives, 1128
Brown, H. See Yang, Y., 223
Buhaceanu, R. See Dulman, V., 3440
Bui, V. T. See Pagé, D. J. Y. S., 2713
Bumbu, G.
—; Vasile, C.; Chiţanu, G. C.; Carpov, A.: On the Compatibility of Polysaccharide/Maleic Copolymer Blends. II. Thermal Behavior of Pullulan-Containing Blends, 1782
Burns, R. See Mahajan, R., 881
Burrows, H. D. See Marques, A. P., 2182
Buruiana, E. C. See Buruiana, T., 1240
Buruiana, T.
—; Buruiana, E. C.: Ionomeric Polyurethanes of Pyridinium Type with Side Azobenzene Groups, 1240
Byun, H.-S.
—; Choi, T.-H.: Effect of the Octadecyl Acrylate Concentration on the Phase Behavior of Poly(octadecyl acrylate)/Supercritical CO_2 and C_2H_4 at High Pressures, 372

Cabrera, G. See Cárdenas, G., 2742
Cai, J. See Chen, Z., 2687
Cakmak, M. See Valladares, D., 3377
Canelas, D. A.
—; Abbey, K. J.; Fentress, E.: Properties and Toughening of Heat-Resistant Thermosets Based on Unsaturated Ester Resins, 821
Cantagallo, S. See Bianchi, F., 559
Cao, Y.
—; Xie, W.; Sun, J.; Wei, B.; Lin, S.: Preparation of Epoxy Blends with Nanoparticles by Acoustic Levitation Technique, 84
—; See Zhao, H., 2033
Cárdenas, G.
—; Paredes, J. C.; Cabrera, G.; Casals, P.: Synthesis and Characterization of Chitosan Alkyl Carbamates, 2742
—; See Reyes, P., 381
Cardona, F. See Grøndahl, L., 2550
Cardoso, J. See Anleu, E., 2693
Carone, E.
—; D'Ilario, L.; Martinelli, A.: New Conductive Thermoplastic Elastomers. Part II. Physical and Chemical-Physical Characterization, 1259
Carpov, A. See Bumbu, G., 1782
Carrot, C. See Brouillet-Fourmann, S., 2860
Casals, P. See Cárdenas, G., 2742
Catalaini, L. H. See Lopérgolo, L. C., 662
Çelik, M.
—; Saçak, M.: Synthesis and Characterization of Starch-Poly(methyl methacrylate) Graft Copolymers, 53
Celina, M. See Assink, R. A., 3636
Chae, D. W.
—; Kim, B. C.; Lee, W. S.: Rheological Characterization of Cellulose Solutions in *N*-Methyl Morpholine *N*-Oxide Monohydrate, 216
Chae, K. H.
—; Sun, G. J.; Kang, J. K.; Kim, T. H.: A Water-Developable Negative Photoresist Based on the Photocrosslinking of *N*-Phenylamide Groups with Reduced Environmental Impact, 1172
Chan, S.-H. See Li, C.-L., 1038
Chanda, M. See Sailaja, R. R. N., 3126
Chandy, T.
—; Das, G. S.; Wilson, R. F.; Rao, G. H. R.: Development of Polylactide Microspheres for Protein Encapsulation and Delivery, 1285
Chang, A. C.
—; Chum, S. P.; Hiltner, A.; Baer, E.: Characterization of an Amorphous Surface Layer on Blown Polyolefin Film, 3625
Chang, F.-C. See Tseng, C.-R., 2492
Chang, Y.-W. See Nah, C., 125
Chao, D. Y. See Chwang, C. P., 2002
Chapel, J.-P. See Bielinski, D., 3368; Pawlak, A., 1318; Tracz, A., 1329
Chappelow, C. C.
—; Pinzino, C. S.; Power, M. D.; Holder, A. J.; Morrill, J. A.; Jeang, L.; Eick, J. D.: Photoreactivity of Vinyl Ether/Oxirane-Based Resin Systems, 314
Chattopadhyay, S. See De, P., 957
Chauhan, G. S.
—; Mahajan, S.: Use of Novel Hydrogels Based on Modified Cellulosics and Methacrylamide for Separation of Metal Ions from Water Systems, 667
Chavan, J. G. See Samui, A. B., 2523
Chen, B. See Zhao, H., 2033

Chen, C.-Y.
—; Chen, C.-Y.: Stability Constants of Polymer-Bound Iminodiacetate-Type Chelating Agents with Some Transition-Metal Ions, 1986
Chen, C.-Y. See Chen, C.-Y., 1986; Chwang, C. P., 2002
Chen, D.
—; Cui, Y.; Wang, X.; Tang, X.: Polyphosphazene/Low-Density Polyethylene Blends: Miscibility and Flame-Retardance Studies, 709
—; See Sun, J., 3312
Chen, G.
—; Guo, S.; Li, H.: Ultrasonic Improvement of the Compatibility and Rheological Behavior of High-Density Polyethylene/Polystyrene Blends, 23
Chen, H. See Zhang, T., 2509
Chen, J. See Zhang, H., 1817
Chen, J.-P. See Chen, S.-C., 3064
Chen, K. H.
—; Yang, S. M.: Synthesis of Epoxy–Montmorillonite Nanocomposite, 414
Chen, K.-M. See Lin, L.-H., 2727; Liu, H.-J., 3005
Chen, K.-N. See Tsai, M.-F., 468
Chen, L. Y.
—; Du, Y.: Aggregation Behavior of 3,6-O-Carboxymethylated Chitin in Aqueous Solutions, 1838
Chen, R.-S. See Yang, C.-P., 2763
Chen, S.-C.
—; Study of Ionic Polymer Toughening Epoxy Resin, 3740
—; Wang, H.-L.; Chen, J.-P.; Peng, H.-S.: Simulations on Structure Performance of 3C Thin-Wall Injection-Molded Parts, 3064
Chen, W. See Siqin, D., 553
Chen, X. See Tan, B., 2135; Wang, C., 3120; Wang, S., 2424
Chen, X.-T. See Wang, Y.-Z., 1278
Chen, Y. See Li, X., 1549
Chen, Y. H. See Ou, C.-F., 1599
Chen, Z.
—; Cai, J.; Jiang, X.; Yang, C.: Nitroxide-Mediated Radical Polymerization of 4-Vinylpyridine and Its Application on Modification of Silicon Substrate, 2687
Cheng, C.-C. See Yen, M.-S., 2967
Cheng, X.-H. See Xue, Y.-J., 1667
Cherng, J.-Y. See Yeh, C.-F., 141
Cheung, M. K.
—; Wan, K. P. Y.; Yu, P. H.: Miscibility and Morphology of Chiral Semicrystalline Poly-(R)-(3-hydroxybutyrate)/Chitosan and Poly-(R)-(3-hydroxybutyrate-*co*-3-hydroxyvalerate)/Chitosan Blends Studied with DSC, ^{1}H T_1 and $T_{1\rho}$ CRAMPS, 1253
Chia, N. R. See Abadie, M. J. M., 1587
Chian, K. S.
—; Du, X. Y.; Goy, H. A.; Feng, J. L.; Yi, S.; Yue, C. Y.: Mechanical Properties and Morphology of Poly(ethylene glycol)-Side-Chain-Modified Bismaleimide Polymer, 715
Chiang, C.-L. See Ma, C.-C. M., 962
Chiang, C.-Y. See Lin, L.-H., 2727
Chiang, W.-Y.
—; Ding, F.-C.: Synthesis and Properties of Ultraviolet-Curable Resins via a Thio–Ene (Thiol and Allyl) Addition Reaction, 1878
—; Lin, Y.-H.: Properties of Modified Poly(vinyl alcohol) Membranes Prepared by the Grafting of New Polyelectrolyte Copolymers for Water–Ethanol Mixture Separation, 2854
Chiem, K. See Grøndahl, L., 2550
Chin, K.-J. See Lim, S. K., 3718
Chiţanu, G. C. See Bumbu, G., 1782
Chiu, R.-J. See Lee, W.-F., 1592
Chiu, W.-Y. See Don, T.-M., 3057; Hsu, S.-C., 3047
Cho, K. Y. See Choi, N.-S., 1892
Cho, W.-J. See Kim, G.-H., 1071
Choe, S. See Kim, H., 2041
Choi, G.-Y.
—; Kim, H.-G.; Kim, Y.-H.; Seo, C.-W.; Choi, J.-H.; Han, D.-H.; Oh, D.-H.; Min, K.-E.: The Rheological Behavior of Immiscible Polymer Blends, 917
Choi, H. J. See Lim, S. K., 3718
Choi, H. S. See Lim, C. H., 3322
Choi, J.-H. See Choi, G.-Y., 917
Choi, N.-S.
—; Kim, C.-H.; Cho, K. Y.; Park, J.-K.: Morphology and Hydrolysis of PCL/PLLA Blends Compatibilized with P(LLA-*co*-εCL) or P(LLA-*b*-εCL), 1892
Choi, T.-H. See Byun, H.-S., 372
Chowdhury, S. R. See Park, H.-M., 2907
Chu, C.-C. See Lang, M., 2296
Chum, S. P. See Chang, A. C., 3625
Chung, K.-H. See Kim, S. H., 812
Chung, T.-S. See Liu, T., 422
Chwang, C. P.
—; Lee, S. N.; Yeh, J. T.; Chen, C. Y.; Chao, D. Y.: Water-Vapor-Permeable Polyurethane Resin, 2002
Cicero, J. A.
—; Dorgan, J. R.; Garrett, J.; Runt, J.; Lin, J. S.: Effects of Molecular Architecture on Two-Step, Melt-Spun Poly(lactic acid) Fibers, 2639
—; Dorgan, J. R.; Janzen, J.; Garrett, J.; Runt, J.; Lin, J. S.: Supramolecular Morphology of Two-Step, Melt-Spun Poly(lactic acid) Fibers, 2828
Clarson, S. J. See Banach, M. J., 2021
Coates, P. D. See Unwin, A. P., 3135
Collins, T. L. D. See Unwin, A. P., 3135
Cong, G. See Pang, H., 2140
Conner, A. H.
—; Lorenz, L. F.; Hirth, K. C.: Accelerated Cure of Phenol–Formaldehyde Resins: Studies With Model Compounds, 3256
—; See Mitsunaga, T., 135
Consolati, G. See Bianchi, F., 559
Contat-Rodrigo, L.
—; Ribes-Greus, A.; Imrie, C. T.: Characterization by Thermal Analysis of High Density Polyethylene/Polypropylene Blends with Enhanced Biodegradability, 174
—; Ribes-Greus, A.; Imrie, C. T.: Thermal Analysis of High-Density Polyethylene and Low-Density Polyethylene with Enhanced Biodegradability, 764
—; See Sáenz de Juano-Arbona, V., 1953; Vallés-Lluch, A., 405
Conte, A. See de Fátima V. Marques, M., 2054
Coutinho, F. M. B. See Guimarães, M. J. O. C., 2240
Crabb, K. See Sneshkoff, N., 3611
Cui, Y. See Chen, D., 709
Cui, Z. See Lü, C., 589
Cullen, J. See Wu, C.-S., 1312
Cunha, A. M. See Sousa, R. A., 2873
Curto, D. See La Mantia, F. P., 1899
Czarnecki, P. See Niekraszewicz, B., 907

Dabir, B. See Shariatpanahi, H., 3148
Dadbin, S.
—; Frounchi, M.; Haji Saeid, M.; Gangi, F.: Molecular Structure and Physical Properties of E-Beam Crosslinked Low-Density Polyethylene for Wire and Cable Insulation Applications, 1959
Dadsetan, M. See Mirzadeh, H., 3191

Dai, G. See Luo, Y., 3331; Zhao, R., 2486
Dai, L.
—; Li, J.; Yamada, E.: Effect of Glycerin on Structure Transition of PVA/SF Blends, 2342
Dalai, S.
—; Wenxiu, C.: Radiation Effects on LDPE/EVA Blends, 1296
—; Wenxiu, C.: Radiation Effects on Poly(propylene) (PP)/Ethylene–Vinyl Acetate Copolymer (EVA) Blends, 3420
Dalet, P. See Zanetti, M., 1855
Damronglerd, S. See Sangsirimongkolying, R., 1057
Dangtangee, R. See Sombatsompop, N., 1762
Daniels, E. S. See Tang, J., 891, 2788
Dankbas, E. B.
—; Odabasi, M.; Kiliçay, E.; Özdemir, N.: Human Serum Albumin (HSA) Adsorption with Chitosan Microspheres, 3035
Das, G. S. See Chandy, T., 1285
Datta, C.
—; Basu, D.; Banerjee, A.: Studies and Characterization of RESOL/VAc-EHA/HMMM IPN Systems in Aqueous Medium, 3581
Datta, R. N.
—; Ingham, F. A. A.: Maintenance of Mechanical and Viscoelastic Properties in Truck and Off-the-Road Tire Tread Compounds by Using 1,3 Bis (Citraconimidomethyl) benzene, 3689
De, P.
—; Chattopadhyay, S.; Madras, G.; Sathyanarayana, D. N.: Thermal Degradation Kinetics of Para-Substituted Poly(styrene Peroxide)s in Solution, 957
—; Sathyanarayana, D. N.: Free Radical Oxidative Copolymerization of Indene with Vinyl Acetate and Isopropenyl Acetate: Synthesis and Characterization, 639
Deb, P. C. See Samui, A. B., 2523
Debnath, S. C. See Naskar, N., 3286
de Fátima V. Marques, M.
—; Conte, A.: The Influence of the Preparing Conditions of SiO_2 Supported Cp_2ZrCl_2 Catalyst on Ethylene Polymerization, 2054
de Jong, S. J.
—; van Nostrum, C. F.; Kroon-Batenburg, L. M. J.; Kettenes-van den Bosch, J. J.; Hennink, W. E.: Oligolactate-Grafted Dextran Hydrogels: Detection of Stereocomplex Crosslinks by X-ray Diffraction, 289
Dekker, M. See Helmroth, I. E., 3185
Del Río, C. See Acosta, J. L., 3512
Del Valle, M. A. See Brovelli, F., 1128
Deng, X.
—; Liu, Y.; Yuan, M.; Li, X.; Liu, L.; Jia, W. X.: Preparation and Characterization of Poly-DL-lactide–Poly(ethylene glycol) Microspheres Containing λDNA, 2557
—; See Hao, J., 676
Denizli, A. See Uzun, L., 3346
De Prisco, N.
—; Immirzi, B.; Malinconico, M.; Mormile, P.; Petti, L.; Gatta, G.: Preparation, Physico-chemical Characterization, and Optical Analysis of Polyvinyl Alcohol-Based Films Suitable for Protected Cultivation, 622
Desnoyers, J. E. See Perron, G., 195
De Souza, C. M. G.
—; Tavares, M. I. B.: High-Resolution Solid-State NMR and SEM Study of the Interaction Behavior of Poly(ethylene-*co*-vinyl acetate)/Poly(vinyl acetate) Blends, 116
Devaux, E.
—; Bourbigot, S.; El Achari, A.: Crystallization Behavior of PA-6 Clay Nanocomposite Hybrid, 2416
Devi, S. See Bhawal, S., 2802
DeVore, D. See Silver, F. H., 1978
Di, W. See Sun, X., 3712
Di, Y.
—; Iannace, S.; Nicolais, L.: Thermal Behavior and Morphological and Rheological Properties of Polypropylene and Novel Elastomeric Ethylene Copolymer Blends, 3430
Dianbao, C. See Jing, H., 3001
Díaz, F. R. See Brovelli, F., 1128
D'Ilario, L. See Carone, E., 1259
Di Luccio, M.
—; Nobrega, R.; Borges, C. P.: Microporous Anisotropic Phase Inversion Membranes from Bisphenol A Polycarbonate: Effect of Additives to the Polymer Solution, 3085
Di Maio, L. See Gorrasi, G., 347
Dimonie, V. L. See Tang, J., 891, 2788
Dinakaran, K.
—; Alagar, M.: Preparation and Characterization of Bismaleimide (*N,N'*-bismaleimido-4,4'-diphenyl methane)–Vinyl Ester Oligomer–Modified Unsaturated Polyester Interpenetrating Matrices for Advanced Composites, 2502
Ding, F.-C. See Chiang, W.-Y., 1878
Doi, M. See Orihara, H., 3673
Don, T.-M.
—; King, C.-F.; Chiu, W.-Y.: Synthesis and Properties of Chitosan-Modified Poly(vinyl acetate), 3057
—; See Hsu, S.-C., 3047
Dong, L. S. See Liu, W. J., 2145
Dong, Y. See Wang, C., 3120
Donley, M. See Usmani, A. M., 294
Dorgan, J. R. See Cicero, J. A., 2639, 2828
Dou, D.-Y. See Li, R.-Q., 2217
Du, X. Y. See Chian, K. S., 715
Du, Y. See Chen, L. Y., 1838; Qin, C., 1724; Zhang, L., 2025; Zheng, H., 1679
Du, Y.-C. See Ma, C.-C. M., 962
Dubois, P. See Pluta, M., 1497
Duckett, R. A. See Unwin, A. P., 3135
Duek, E. A. R. See Ferreira, B. M. P., 2898
Dulman, V.
—; Buhaceanu, R.; Luca, C.; Neagu, V.: Retention of Gallium Ions from Acidic Solutions by Pyridine Strong-Base Anion Exchangers, 3440
Duran, S. See Şolpan, D., 3570
Durant, Y. G. See McCaffery, T. R., 1507
Dyck, A.
—; Fritsch, D.; Nunes, S. P.: Proton-Conductive Membranes of Sulfonated Polyphenylsulfone, 2820

Ebenhoch, J. See Helldörfer, M., 3021
Ece, Ö. I.
—; Alemdar, A.; Güngör, N.; Hayashi, S.: Influences of Nonionic Poly(ethylene glycol) Polymer PEG on Electrokinetic and Rheological Properties of Bentonite Suspensions, 341
Egami, H. See Areerat, S., 282
Eguiazábal, J. I. See Ramiro, J., 2775
Ehabe, E.
—; Le Roux, Y.; Ngolemasango, F.; Bonfils, F.; Nkeng, G.; Nkouonkam, B.; Sainte-Beuve, J.; Gobina, M. S.: Effect of Maturation on the Bulk Viscosity and Molecular Chain Length of Cuplump Natural Rubber, 703
Eick, J. D. See Chappelow, C. C., 314
Eid, M. A. M. See Abd-El-Messieh, S. L., 540

El-Aasser, M. S. See Tang, J., 891, 2788
El Achari, A. See Devaux, E., 2416
Ellis, G. See Marco, C., 531
Ellison, M. S. See He, X., 795
El-Sabee, M. Z. See Abou-Aiad, T. H., 2363
El-Sayed, E.-S. A. See Abou-Aiad, T. H., 2363
Erbil, H. Y. See Sarac, A., 844
Erhan, S. Z.
—; Sheng, Q.; Adhvaryu, A.: Synthesis and Characterization of the Copolymer of Dodecyl Methacrylate/Styrene Containing an Amidine Functional Group, 1684
Ermolieff, A. See Kieffel, Y., 395

Fan, L. See Liu, Y., 2737
Fan, S.-C. See Li, C.-L., 2247
Fan, X.-D.
—; Hsien, Y.-L.; Kurth, M. J.; Krochta, J. M.: Synthesis and Characterization of Lactose Based Resorcinol Resin, 2581
Fang, P. See Li, X., 1549
Fang, Q.
—; Jiang, B.; Yu, Y.-H.; Zhang, X.-B.; Jiang, L.-X.: A Convenient Procedure for Preparation of a Novel Allylphenoxytriazine Monomer and the Properties of Its Copolymer with Bismaleimide (BMI), 2279
Farah, M. See Guimarães, M. J. O. C., 2240
Farris, R. J. See Feng, R., 2937
Feder, J. See Lapique, F., 973
Felisberti, M. I. See Wilhelm, H. M., 359, 366
Feng, J. L. See Chian, K. S., 715
Feng, L. X. See Wang, L., 3508
Feng, R.
—; Farris, R. J.: Linear Thermoelastic Characterization of Anisotropic Poly(ethylene terephthalate) Films, 2937
Feng, X.-x. See Guo, X.-y., 3660
Feng, Y.
—; Klee, D.; Höcker, H.: Biodegradable Block Copolymers with Poly(ethylene oxide) and Poly(glycolic acid-valine) Blocks, 2916
Feng, Z. See Tong, X., 3532
Fentress, E. See Canelas, D. A., 821
Ferreira, B. M. P.
—; Zavaglia, C. A. C.; Duek, E. A. R.: Films of PLLA/PHBV: Thermal, Morphological, and Mechanical Characterization, 2898
Ferrer, J. See Kint, D. P. R., 1077
Filho, N. P. See Silva, E. O., 1848
Finter, J. See Kornmann, X., 2643
Freddi, G. See Tsukada, M., 1181
Freeman, J. W. See Silver, F. H., 1978
Fritsch, D. See Dyck, A., 2820
Frounchi, M. See Dadbin, S., 1959
Fu, Q. See Zhang, G., 58
Fujii, S.
—; Sasaki, N.; Nakata, M.: Elongational Flow Studies on the Phase Separation of Hydroxypropylcellulose Solution, 2984
Fujime, J. See Yoshikawa, M., 3408
Fujita, K. See Nomura, M., 2748
Fujiyama, M.
—; Yamane, K.; Ayama, K.; Inata, H.: Rheological Properties of Ionically Crosslinked Poly(propylene)-Type Thermoplastic Elastomers, 2887

Gaafar, E. A. See Abou-Aiad, T. H., 2363
Gaboyard, M.
—; Robin, J.-J.; Hervaud, Y.; Boutevin, B.: Free-Radical Graft Copolymerization of Phosphonated Methacrylates onto Low-Density Polyethylene, 2011
Galeski, A. See Bartczak, Z., 1405, 1413; Kazmierczak, T., 1337; Morawiec, J., 1426, 1486; Pawlak, A., 1436, 1473; Piorkowska, E., 1363; Pluta, M., 1386, 1497
Gamou, M. See Adachi, T., 2261; Araki, W., 2266
Gangi, F. See Dadbin, S., 1959
Garcia, J. L.
—; Jang, E. J.; Alper, H.: New Heterogeneous Catalysis for the Synthesis of Poly(ether polyol)s, 1553
Garnier, S.
—; Pizzi, A.; Vorster, O. C.; Halasz, L.: Rheology of Polyflavonoid Tannin–Formaldehyde Reactions Before and After Gelling. II. Hardener Influence and Comparison of Different Tannins, 864
—; Pizzi, A.; Vorster, O. C.; Halasz, L.: Rheology of Polyflavonoid Tannin–Formaldehyde Reactions Before and After Gelling. I. Methods, 852
Garrett, J. See Cicero, J. A., 2639, 2828
Gatta, G. See De Prisco, N., 622
Gdalevsky, G. See Geresh, S., 1157
Ge, J.
—; Wu, R.; Shi, X.; Yu, H.; Wang, M.; Li, W.: Biodegradable Polyurethane Materials from Bark and Starch. II. Coating Material for Controlled-Release Fertilizer, 2948
Ge, X. See Ye, Q., 2567
Gedanken, A. See Kumar, R. V., 160
George, B. See Simon, C., 3681
Geresh, S.
—; Gilboa, Y.; Peisahov-Korol, J.; Gdalevsky, G.; Voorspoels, J.; Remon, J. P.; Kost, J.: Preparation and Characterization of Bioadhesive Grafted Starch Copolymers as Platforms for Controlled Drug Delivery, 1157
Ghim, H. D. See Lyoo, W. S., 3667
Ghosh, S. K. See Lee, C.-F., 2408
Gilboa, Y. See Geresh, S., 1157
Glab, P. See Bielinski, D., 3368
Gobina, M. S. See Ehabe, E., 703
Gómez, M. A. See Marco, C., 531
González-Benito, J.
—; Mikeš, F.; Baselga, J.; Lemetyinemm, H.: Fluorescence Method Using Labeled Chromophores to Study the Curing Kinetics of a Polyurethane System, 2992
González, L. See Acosta, J. L., 3512
Goodelle, J. P.
—; Pearson, R. A.; Santore, M. M.: Water-Uptake Kinetics in Poly(methyl methacrylate) Films with a Fluorescent Rotor Probe, 2463
Gopalan, A. See Anbarasan, R., 3108
Gorrasi, G.
—; Di Maio, L.; Vittoria, V.; Acierno, D.: Recycling Polyethylene from Automotive Fuel Tanks, 347
Goss, B. G. S. See Alam, M. S., 1863
Goswami, A. See Saikia, P. J., 386
Goy, H. A. See Chian, K. S., 715
Gradwell, M. H. S. See Shumane, M., 1516
Groeninckx, G. See Moly, K. A., 3210
Grøndahl, L.
—; Cardona, F.; Chiem, K.; Wentrup-Byrne, E.: Preparation and Characterization of the Copolymers Obtained by Grafting of Monoacryloxyethyl Phosphate onto Polytetrafluoroethylene Membranes and Poly(tetrafluoroethylene-*co*-hexafluoropropylene) Films, 2550
Gröning, M.
—; Hakkarainen, M.: Headspace Solid-Phase Microextraction with

Gas Chromatography/Mass Spectrometry Reveals a Correlation between the Degradation Product Pattern and Changes in the Mechanical Properties during the Thermooxidation of In-Plant Recycled Polyamide 6,6, 3396
Gruin, I. See Ambroziak, M., 2124, 2130
Gu, C.
—; Wang, D.; Wang, X.; Huang, Y.; Zhen, Z.; Liu, X.: Bulk Polymerization of Methyl Methacrylate Initiated by High Intensity Ultrasonic Irradiation and ESR Study, 1731
Gu, L.
—; Zhu, S.; Hrymak, A. N.: Acidic and Basic Hydrolysis of Poly(*N*-vinylformamide), 3412
Gu, L.-x. See Guo, X.-y., 3660
Guan, Y. See Meng, F., 2682
Guimarães, M. J. O. C.
—; Coutinho, F. M. B.; Rocha, M. C. G.; Farah, M.; Bretas, R. E. S.: Rheological and Morphological Properties of High-Density Polyethylene and Poly(ethylene–octene) Blends, 2240
Güngör, N. See Ece, Ö. I., 341
Guo, J. See Zhang, L., 2025
Guo, S. See Chen, G., 23
Guo, T.-Y.
—; Tang, G.-L.; Hao, G.-J.; Song, M.-D.; Zhang, B.-H.: Morphologies and Dynamic Mechanical Properties of Core-Shell Emulsifier-Free Latexes and Their Copolymers for P(BA/MMA)/P(MMA/BA) and P(BA/MMA)/PSt Systems in the Presence of AHPS, 3078
Guo, X.-y.
—; Gu, L.-x.; Feng, X.-x.: The Glass Transition, Crystallization, and Melting Characteristics of a Class of Polyester Ionomers, 3660
Gupta, B.
—; Anjum, N.: Surface Structure of Radiation-Grafted Polyethylene-*g*-Polyacrylamide Films, 1118
Gupta, K. C.
—; Khandekar, K.: Graft Copolymerization of Acrylamide–Methylacrylate Comonomers onto Cellulose Using Ceric Ammonium Nitrate, 2631
Gupta, M. D. See Nandi, A., 3180; Roy, B. C., 2662
Gupta, N. K. See Sethi, M., 2429
Gupta, T.
—; Adhikari, B.: Diffusion Behavior of Hexane in Diamine Chain-Extended Hydroxyterminated Polybutadiene Based Polyurethanes, 90
Güven, O. See Şolpan, D., 3570
Guyot, A. See Vilchis, L., 3271

Ha, C.-S. See Kim, G.-H., 1071; Park, H.-M., 2907
Ha, J.-W. See Lee, C.-Y., 3702
Ha, K.
—; West, J. L.: Studies on the Photodegradation of Polarized UV-Exposed PMDA–ODA Polyimide Films, 3072
Ha, K.-S.
—; Rhee, H.-K.: Optimal Reaction Conditions for the Minimization of Energy Consumption and By-Product Formation in a Poly(ethylene terephthalate) Process, 993
Habert, C. See Vauclair, C., 1709
Habibi, S. See Mallakpour, S. E., 2211
Hafiychuk, G. See Medvedevskikh, Y., 3556
Haishi, T. See Yamada, K., 1113
Hajipour, A.-R. See Mallakpour, S. E., 2211
Haji Saeid, M. See Dadbin, S., 1959
Hakkarainen, M. See Gröning, M., 3396
Halasz, L. See Garnier, S., 852, 864
Han, D.-H. See Choi, G.-Y., 917
Han, Q.
—; Urban, M. W.: Kinetics and Mechanisms of Catalyzed and Noncatalyzed Reactions of OH and NCO in Acrylic Polyol–1,6-Hexamethylene Diisocyanate (HDI) Polyurethanes. VI, 2322
Han, S.-C. See Nah, C., 125
Hao, G.-J. See Guo, T.-Y., 3078
Hao, J.
—; Yuan, M.; Deng, X.: Biodegradable and Biocompatible Nanocomposites of Poly(ε-caprolactone) with Hydroxyapatite Nanocrystals: Thermal and Mechanical Properties, 676
Hao, J. H.
—; Wang, S.: Mass Transfer Dynamics of the Evaporation Step in Membrane Formation by Phase Inversion, 1564
Harabagiu, V. See Biran, C., 1663
Haraguchi, T. See Yamada, K., 1113, 1172
Haron, M. J. See Silong, S., 2653
Harwood, H. J. See Wright, T., 1203
Hasegawa, M.
—; Ikawa, T.; Tsuchimori, M.; Watanabe, O.: Photochemically Induced Birefringence in Polyurethanes Containing Donor–Acceptor Azobenzenes as Photoresponsive Moieties, 17
Hashemi, S. A. See Atai, M., 3246
Hashimoto, K.
—; Sudo, M.; Ohta, K.; Sugimura, T.; Yamada, H.; Aoki, T.: Biodegradation of Nylon4 and Its Blend with Nylon6, 2307
Hatanaka, Y. See Wróbel, A. M., 1445
Hatthapanit, K. See Suwanprateeb, J., 3013
Haudin, J. M. See Billon, N., 725, 734; Piorkowska, E., 1373
Hayashi, R. See Higashi, F., 2607
Hayashi, S. See Ece, Ö. I., 341
Hayata, Y. See Areerat, S., 282
He, B. See Xiao, W., 2530; Zuo, J., 2062
He, C. See Liu, T., 422
He, J.-B. See Wan, X.-B., 3160
He, P. See Xiao, W., 2530
He, W. See Ye, Q., 2567
He, X.
—; Ellison, M. S.; Paradkar, R. P.: Spinnability and Physical Properties of *In Situ* Composite Fibers Based on Thermotropic Liquid Crystalline Polymer, 795
Heiden, P. See Liu, Y., 596, 608, 615
Heinze, Th. See Lazik, W., 743
Helldörfer, M.
—; Alt, H. G.; Ebenhoch, J.: Microgels as New Support Materials for Heterogeneous Cocatalysts in Ethylene Polymerization Reactions, 3021
Helminen, A.
—; Korhonen, H.; Seppälä, J. V.: Structure Modification and Crosslinking of Methacrylated Polylactide Oligomers, 3616
Helmroth, I. E.
—; Bekhuis, H. A. M.; Linssen, J. P. H.; Dekker, M.: Direct Measurement of Additive Migration from Low-Density Polyethylene as a Function of Space and Time, 3185
Hemmati, M. See Shariatpanahi, H., 3148
Henaff, V. See Billon, N., 725, 734
Hendia, T. A. See Soliman, L. I., 1558
Hennink, W. E. See de Jong, S. J., 289
Herbert, S. See Lu, Y., 43
Hervaud, Y. See Gaboyard, M., 2011

Heslop, J. See Bhowmick, A. K., 2393
Hietala, S. See Walsby, N., 33
Higashi, F.
—; Hayashi, R.; Yamazaki, T.: Solution Copolycondensation of Isophthalic Acid, Terephthalic Acid, 4,4′-Dihydroxydiphenylsulfone, and Bisphenols with a Tosyl Chloride/Dimethylformamide/Pyridine Condensing Agent, 2607
Hill, C. G., Jr. See Mitsunaga, T., 135
Hiltner, A. See Chang, A. C., 3625; Hu, Y. S., 98
Hippi, U. See Tynys, A., 1886
Hirth, K. C. See Conner, A. H., 3256
Höcker, H. See Feng, Y., 2916
Holder, A. J. See Chappelow, C. C., 314
Hong, K.
—; Zhang, H.; Yang, Y.: The External Electric Field Effects on the Morphology of Phase Separation in a Mixture of Liquid Crystal/Flexible Polymer, 250
Hong, S. U. See Hwang, K. K., 2701
Hotchkiss, J. H. See Al-Ati, T., 2811
Hou, Y. See Wang, S., 2424
Hrymak, A. N. See Gu, L., 3412
Hsiao, K.-J.
—; Jen, Z.-F.; Lu, C.-L.: Analysis of Physical Properties of PET/CD-PET Polyblend Hollow Fiber and its Kinetics of Alkaline Hydrolysis, 3601
Hsieh, P.-H. See Lee, C.-F., 2408
Hsien, Y.-L. See Fan, X.-D., 2581
Hsu, H.-C. See Shih, H.-H., 3695
Hsu, S.-C.
—; Don, T.-M.; Chiu, W.-Y.: Synthesis of Chitosan-Modified Poly(methyl methacrylate) by Emulsion Polymerization, 3047
Hsu, S. L.-C.
—; Lee, P.-I.; King, J.-S.; Jeng, J.-L.: Synthesis and Characterization of a Positive-Working, Aqueous-Base-Developable Photosensitive Polyimide Precursor, 352
Hsu, W.-P.
—; Effect of the Tacticity of Poly(Methyl Methacrylate) on the Phase Diagram of Its Ternary Blends, 2720
Hu, J.-S.
—; Zhang, B.-Y.; Liu, Z.-J.; Zang, B.-L.: Synthesis and Phase Behavior of Chiral Side-Chain Liquid-Crystalline Polysiloxanes Containing Two Mesogenic Groups, 2670
Hu, K. See Li, X., 633
Hu, S.-G.
—; Jou, C.-H.; Yang, M.-C.: Surface Grafting of Polyester Fiber with Chitosan and the Antibacterial Activity of Pathogenic Bacteria, 2977
Hu, X. See Lee, M. W., 2070; Teng, X., 2338; Zhang, Y., 3389; Zhao, X., 1046
Hu, Y. S.
—; Rogunova, M.; Schiradli, D. A.; Hiltner, A.; Baer, E.: Crystallization Kinetics and Crystalline Morphology of Poly(ethylene naphthalate) and Poly(ethylene terephthalate-*co*-bibenzoate), 98
Hua, W. See Wang, S., 2424
Huang, B. See Tong, X., 3532
Huang, C.-J. See Shih, H.-H., 3695
Huang, J.
—; Zhang, L.: Structure and Properties of Regenerated Cellulose Films Coated with Polyurethane–Nitrolignin Graft-IPNs Coating, 1799
—; See Zuo, J., 2062
Huang, M.-R. See Li, X.-G., 1673
Huang, R. See Zhang, L., 2085
Huang, X. See Wang, C., 2227
Huang, Y. See Gu, C., 1731; Li, X., 633; Pang, H., 2140
Huang, Y. L. See Tian, J., 3454
Hung, A. Y. C.
—; Wang, F.-Y.; Ma, C.-C. M.; Sun, Y.-M.: Preparation and Characterization of Novolac type Phenolic Resin Blended with Poly(dimethylsiloxane adipamide), 984
—; See Ma, C.-C. M., 962
Huo, C. See Lü, C., 589
Hussein, A. I. See Abd-El-Messieh, S. L., 540
Hwang, J.-E.
—; Jegal, J.; Lee, K.-H.: Separation of Humic Acid with Nanofiltration Polyamide Composite Membranes, 2847
Hwang, K. K.
—; Ryu, S. H.; Hong, S. U.: Diffusion and Sorption Behavior of Glycidyl Methacrylate in Styrene Butadiene Rubber, 2701

Iannace, S. See Di, Y., 3430
Ibarra, L.
—; Alzorriz, M.: Effect of Temperature on the Crosslink Densities of Nitrile Rubber and Carboxylated Nitrile Rubber with Zinc Peroxide, 335
Ichikawa, Y. See Tanigami, T., 1807
Ichiki, T. See Alam, M. S., 1863
Igarashi, K.
—; Nakano, Y.: Fundamental Adsorption Properties of Chitosan Gel Particles Prepared by Suspension Evaporation Method, 901
Ikawa, T. See Hasegawa, M., 17
Im, S. S. See Park, J. W., 647
Immirzi, B. See De Prisco, N., 622
Imrie, C. T. See Contat-Rodrigo, L., 174, 764
Inata, H. See Fujiyama, M., 2887
Ingham, F. A. A. See Datta, R. N., 3689
Inohara, T. See Okubo, M., 1087
Inoue, A. See Orihara, H., 3673
Iribarren, J. I. See Kint, D. P. R., 1077
Irshad, H. See Tan, B., 2135
Isaac, D. H. See Brennan, L. B., 572
Ishida, H. See Wang, Y.-X., 2953
Ito, M. See Suzuki, N., 1622
Iwamoto, N. See Yamada, K., 1272
Iwatsubo, T.
—; Kusumocahyo, S. P.; Shinbo, T.: Water/Ethanol Pervaporation Performance of Asymmetric Polyelectrolyte Complex Membrane Constructed by the Diffusion of Poly(acrylic acid) in Chitosan Membrane, 265

Jameela, S. R.
—; Lakshmi, S.; James, N. R.; Jayakrishnan, A.: Preparation and Evaluation of Photocrosslinkable Chitosan as a Drug Delivery Matrix, 1873
James, N. R. See Jameela, S. R., 1873
Jana, S. C.
—; Maiti, S.; Sengupta, P. K.; Biswas, S.: Effect of Plant Gums on Thermal Polymerization of Acrylonitrile, 3596
—; Prieto, A.: Natural Fiber Composites of High-Temperature Thermoplastic Polymers: Effects of Coupling Agents, 2168
—; Prieto, A.: On the Development of Natural Fiber Composites of High-Temperature Thermoplastic Polymers, 2159
Janata, M. See Masař, B., 2930
Jang, E. J. See Garcia, J. L., 1553
Janzen, J. See Cicero, J. A., 2828
Jaung, J.-Y. See Kim, S. H., 812
Jayakrishnan, A. See Jameela, S. R., 1873
Jayaseharan, J. See Anbarasan, R., 3108
Jeang, L. See Chappelow, C. C., 314

Jegal, J.
—; Min, S. G.; Lee, K.-H.: Factors Affecting the Interfacial Polymerization of Polyamide Active Layers for the Formation of Polyamide Composite Membranes, 2781
—; See Hwang, J.-E., 2847
Jen, Z.-F. See Hsiao, K.-J., 3601
Jeng, J.-L. See Hsu, S. L.-C., 352
Jeng, R.-J. See Shih, Y.-F., 1904
Jeng, S.-H. See Yang, C.-P., 2763
Jeong, S. H. See Kim, S. H., 812
Jeszka, J. K. See Tracz, A., 1329
Ji, B. C. See Lyoo, W. S., 463
Ji, M. See Li, X., 633
Jia, H. See Ye, Q., 2567
Jia, W. X. See Deng, X., 2557
Jia, Y. See Meng, F., 2682
Jian, L. See Zhang, G., 58
Jiang, B. See Fang, Q., 2279
Jiang, G. J. See Li, C.-L., 1038
Jiang, L.-X. See Fang, Q., 2279
Jiang, P. See Wang, G., 2544
Jiang, X. See Chen, Z., 2687
Jing, H.
—; Dianbao, C.; Ling, X.; Qufeng, L.; Xiongke, J.; Yifeng, Z.: Synthesis and Photoconducting Properties of C_{60}-Bonded Polystyrene Initiated with $C_{60}Cl_n$, 3001
Jinghua, Y. See Zhanhai, Y., 2626
Jo, B. C. See Kim, H., 2041
Jo, B. W. See Nah, C., 125
Johansson, B.-L.
—; Larsson, A.; Ocklind, A.; Öhrlund, Å.: Characterization of Air Plasma-Treated Polymer Surfaces by ESCA and Contact Angle Measurements for Optimization of Surface Stability and Cell Growth, 2618
John, J.
—; Bhattacharya, M.; Turner, R. B.: Characterization of Polyurethane Foams from Soybean Oil, 3097
Jones, A. S. See Wright, T., 1203
Jøssang, T. See Lapique, F., 973
Jou, C.-H. See Hu, S.-G., 2977
Jurkowski, B. See Pesetskii, S. S., 64

Kaczmarek, H.
—; Ołdak, D.; Szalla, A.: The Networks of Photocrosslinked Poly(meth)acrylates in Linear Poly(vinyl chloride), 3725
Kaidou, H. See Suzuki, N., 1622
Kajiyama, T. See Yamada, K., 1113, 1272
Kallio, T. See Walsby, N., 33
Kamiya, T. See Sato, H., 443
Kanekiyo, M.
—; Kobayashi, M.; Ando, I.; Kurosu, H.; Amiya, S.: A Study of Solvent Exchange Process in (Ethylene–Vinyl Alcohol) Copolymer Gels by a Proton Nuclear Magnetic Resonance Spectroscopy Imaging Method, 504
Kang, E. T. See Zhao, B., 2099
Kang, J. K. See Chae, K. H., 1172
Kang, J. S.
—; Kim, K. Y.; Lee, Y. M.: Preparation of Microporous Chlorinated Poly(Vinyl Chloride) Membrane in Fabric and the Characterization of Their Pore Sizes and Pore-Size Distributions, 1195
Kang, T.-K. See Park, H.-M., 2907
Kannan, P.
—; Senthil, S.; Vijayakumar, R.; Marimuthu, R.: Synthesis and Characterization of Liquid Crystalline Polymers Containing Aromatic Ester Mesogen and a Nonmesogenic Ferrocene Unit in the Spacer, 3494
Kao, S.-T. See Li, C.-L., 2247
Kara, S.
—; Okay, O.; Pekcan, O.: Real Time Temperature and Photon Transmission Measurements for Monitoring Phase Separation During the Formation of Poly(N-isopropylacrylamide) Gels, 3589
Karayannidis, G. P.
—; Bikiaris, D. N.; Papageorgiou, G. Z.; Pastras, S. V.: Synthesis and Characterization of Poly(ethylene terephthalate-*co*-isophthalate)s with Low Content of Isophthalate Units, 1931
Karbhari, V. M.
—; Rivera, J.; Zhang, J.: Low-Temperature Hygrothermal Degradation of Ambient Cured E-Glass/Vinylester Composites, 2255
Karjalainen, T. See Rich, J., 1
Kartalis, C. N.
—; Papaspyrides, C. D.; Pfaendner, R.: Closed-Loop Recycling of Postused Garden Chairs Based on PP Using the Restabilization Technique. I. Evaluation of Processing Parameters, 2472
—; Poulakis, J. G.; Tsenoglou, C. J.; Papaspyrides, C. D.: Pure Component Recovery from Polyamide 6/6 6 Mixtures by Selective Dissolution and Reprecipitation, 1924
Kasaai, M. R.
—; Comparison of Various Solvents for Determination of Intrinsic Viscosity and Viscometric Constants for Cellulose, 2189
Kasai, T.
—; Aya, T.; Ohara, H.: A Fluorine Gas Monitoring System for the Direct Oxy-Fluorination of Polyethylene Sheets, 684
Katbab, A. A. See Abbasi, F., 3480
Katoh, H. See Tsukada, M., 1181
Katsumoto, R. See Areerat, S., 282
Kawasaki, T. See Orihara, H., 3673
Kawase, T. See Sawada, H., 3486
Kaya, A.
—; Pompe, G.; Schulze, U.; Voit, B.; Pionteck, J.: The Effect of TIBA on Metallocene/MAO Catalyzed Synthesis of Propylene Oxazoline Copolymers and Their Use in Reactive Blending, 2174
Kazmierczak, T.
—; Galeski, A.: Transformation of Polyethylene Crystals by High-Pressure Annealing, 1337
Kearns, J. C.
—; Shambaugh, R. L.: Polypropylene Fibers Reinforced with Carbon Nanotubes, 2079
Kegasawa, T. See Areerat, S., 282
Kennedy, J. P. See Asthana, S., 2866
Kettenes-van den Bosch, J. J. See de Jong, S. J., 289
Khalil, H. S. A.
—; Abdelhakim, A. A.: Adsorption Studies of Fatty Acids on Montmorillonite-Based Filler Clay, 2574
—; Levon, K.: Novel Chemical Methods for the Infiltration of Opal Particles with Electrically Conductive Polyaniline Polymers, 788
Khan, M. A.
—; Rahman, M. M.; Bhuyan, M. Z. R.; Ahmad, M. U.: Curing of Crust Leather by Ultraviolet Radiation with Urethane Acrylate: Role of Pigment, 692
—; See Mizanur Rahman, M., 2385
Khandekar, K. See Gupta, K. C., 2631
Khonakdar, H. A.
—; Morshedian, J.; Nodehi, A. O.: Mathematical and Computational Modeling of Heat Transfer and Deformation in Film Blowing Process, 2115
Kiatkamjornwong, S.
—; Tessiri, S.: Synthesis and Characterization of Poly (methyl methacrylate)-*co*-(methacrylic

acid)} for a UV-Sensitive Aqueous Base Developable Lithographic Plate, 1829
—; See Sangsirimongkolying, R., 1057
Kieffel, Y.
—; Travers, J. P.; Ermolieff, A.; Rouchon, D.: Thermal Aging of Undoped Polyaniline: Effect of Chemical Degradation on Electrical Properties, 395
Kiliçay, E. See Dankbas, E. B., 3035
Kim, B. C. See Chae, D. W., 216; Lyoo, W. S., 463
Kim, B.-S. See Lyoo, W. S., 463
Kim, C.-H. See Choi, N.-S., 1892
Kim, D. See Koo, J., 948
Kim, G.-H.
—; Shin, H.-G.; Cho, W.-J.; Ha, C.-S.: Miscibility and Thermal Properties of Blends of Polystyrene with Poly(5-benzoyl-2,6-dimethyl-1,4-phenylene oxide) or Poly(5-acetyl-2,6-dimethyl-1,4-phenylene oxide), 1071
Kim, H.
—; Kim, K.-J.; Kwon, S.; Kundu, P. P.; Jo, B. C.; Lee, B. H.; Lee, D. S.; Choe, S.: Comonomer Effect on the Mechanical and Morphological Behavior on the Calcite-Filled PP, CoPP, and TerPP, 2041
Kim, H. D. See Yang, J.-E., 2375
Kim, H.-G. See Choi, G.-Y., 917
Kim, H.-J. See Ahn, Y.-C., 2921
Kim, H.-K. See Park, H.-M., 2907
Kim, H.-S. See Lyoo, W. S., 3667
Kim, I.-C.
—; Kim, J.-H.; Lee, K.-H.; Tak, T.-M.: Preparation of Soluble Copolyurethaneimide Containing Oxyethylene and Oxypropylene Units, 3502
Kim, I. Y. See Kim, S. J., 1844, 2285
Kim, J.-H. See Kim, I.-C., 3502; Lyoo, W. S., 3667
Kim, J. R. See Park, H. B., 2611
Kim, J. W. See Lim, S. K., 3718
Kim, K.-J. See Kim, H., 2041
Kim, K. Y. See Kang, J. S., 1195
Kim, S. E. See Park, H. B., 2611
Kim, S. H.
—; Lee, D. W.; Chung, K.-H.; Park, J.-K.; Jaung, J.-Y.; Jeong, S. H.: Improvement in the Adhesion of Polyimide/Epoxy Joints Using Various Curing Agents, 812
Kim, S. I. See Kim, S. J., 1844, 2285, 2290; Shin, M.-S., 498
Kim, S. J.
—; Park, S. J.; Kim, I. Y.; Lee, Y. H.; Kim, S. I.: Thermal Characteristics of Poly(vinyl alcohol) and Poly(vinylpyrrolidone) IPNs, 1844
—; Park, S. J.; Kim, I. Y.; Shin, M.-S.; Kim, S. I.: Electric Stimuli Responses to Poly(vinyl alcohol)/Chitosan Interpenetrating Polymer Network Hydrogel in NaCl Solutions, 2285
—; Park, S. J.; Shin, M.-S.; Kim, S. I.: Characteristics of Electrical Responsive Chitosan/Polyallylamine Interpenetrating Polymer Network Hydrogel, 2290
—; See Shin, M.-S., 498
Kim, S. S. See Lyoo, W. S., 3667
Kim, S. W. See Lu, M. G., 3461; Park, C.-S., 478
Kim, T. H. See Chae, K. H., 1172
Kim, W. B.
—; Lee, J. S.: Comparison of Polycarbonate Precursors Synthesized from Catalytic Reactions of Bisphenol-A with Diphenyl Carbonate, Dimethyl Carbonate, or Carbon Monoxide, 937
Kim, W. D. See Nah, C., 125
Kim, W. G.
—; Lee, J. Y.: Curing Characteristics of Epoxy Resin Systems That Include a Biphenyl Moiety, 1942
Kim, Y.-H. See Choi, G.-Y., 917
King, C.-F. See Don, T.-M., 3057
King, J.-S. See Hsu, S. L.-C., 352
Kint, D. P. R.
—; Martínez de Ilarduya, A.; Sansalvadó, A.; Ferrer, J.; Iribarren, J. I.; Muñoz-Guerra, S.: Structural Characterization and Thermal Properties of Poly(ethylene terephthalate) Copolymers Containing 2-Butyl-2-ethyl-1,3-propanediol, 1077
Kiran, E. See Zhang, W., 2357
Kisakürek, D. See Molu, L. K., 2232
Kishore, K. See Nanda, A. K., 2108
Klee, D. See Feng, Y., 2916
Klein, A. See Tang, J., 891, 2788
Klemberg-Sapieha, J. E. See Wróbel, A. M., 1445
Kobayashi, M. See Kanekiyo, M., 504
Kocher, C. See Beekman, E., 1235
Kokil, A. See Beekman, E., 1235
Kolasinska, J. See Piorkowska, E., 1373
Koltypin, Y. See Kumar, R. V., 160
Kong, J.-S. See Yang, J.-E., 2375
Konishi, Y. See Okubo, M., 1087
Koo, D. See Mah, S., 2153
Koo, J.
—; Kim, D.: Poly(ethylene glycol) Electrolyte Gels Prepared by Condensation Reaction, 948
Korhonen, H. See Helminen, A., 3616
Kornmann, X.
—; Thomann, R.; Mülhaupt, R.; Finter, J.; Berglund, L.: Synthesis of Amine-Cured, Epoxy-Layered Silicate Nanocomposites: The Influence of the Silicate Surface Modification on the Properties, 2643
Koros, W. J. See Mahajan, R., 881
Koshizaki, N. See Mochizuki, A., 10
Kost, J. See Geresh, S., 1157
Koverzanova, E. V. See Lomakin, S. M., 3300
Kramer, E. J. See Banach, M. J., 2021
Krasnikova, N. P. See Morawiec, J., 1486
Kreitz, M. See Bailey, N. A., 1868
Krishna Kumar, I. M.
—; Mathew, B.: Segregation of Resin-Bound Peptides During Solid-Phase Synthesis, 1717
Krochta, J. M. See Fan, X.-D., 2581
Kroon-Batenburg, L. M. J. See de Jong, S. J., 289
Kryszewski, M. See Tracz, A., 1329
Kubo, K.
—; Masamoto, J.: Microdispersion of Polyphenylene Ether in Polyphenylene Sulfide/Polyphenylene Ether Alloy Compatiblized by Styrene-*co*-Glycidyl Methacrylate, 3030
Kucińska, I. See Tracz, A., 1329
Kuga, S. See Noishiki, Y., 3425
Kulkarni, A. R. See Kurkuri, M. D., 526
Kumar, R. V.
—; Koltypin, Y.; Palchik, O.; Gedanken, A.: Preparation and Characterization of Nickel–Polystyrene Nanocomposite by Ultrasound Irradiation, 160
Kumar, V. See Sharma, B. R., 3250
Kumbar, S. G. See Kurkuri, M. D., 272
Kundu, P. P. See Kim, H., 2041
Kuo, J.-H. S. See Yeh, C.-F., 141
Kuo, P.-L. See Lee, C.-F., 2408
Kurková, D. See Masař, B., 2930
Kurkuri, M. D.
—; Kulkarni, A. R.; Aminabhavi, T. M. Some Physicochemical Measurements of Chitosan Polymer in Acetic Acid–Water Mixtures at Different Temperatures (Note): 526

—; Kumbar, S. G.; Aminabhavi, T. M.: Synthesis and Characterization of Polyacrylamide-Grafted Sodium Alginate Copolymeric Membranes and Their Use in Pervaporation Separation of Water and Tetrahydrofuran Mixtures, 272
—; Toti, U. S.; Aminabhavi, T. M.: Synthesis and Characterization of Blend Membranes of Sodium Alginate and Poly(vinyl alcohol) for the Pervaporation Separation of Water + Isopropanol Mixtures, 3642
Kurosu, H. See Kanekiyo, M., 504
Kurth, M. J. See Fan, X.-D., 2581
Kusumocahyo, S. P. See Iwatsubo, T., 265
Kwon, O. H.
—; Nho, Y. C.: Radiation-Induced Graft Polymerization of Methyl Methacrylate onto Ultrahigh Molecular Weight Polyethylene in the Presence of a Metallic Salt and Acid, 2348
Kwon, S. See Kim, H., 2041; Mah, S., 2153
Kytsya, A. See Medvedevskikh, Y., 3556

Labbe, M. See M'Bareck, C. O., 433
Lacabanne, C. See Brouillet-Fourmann, S., 2860
Lai, J.-Y. See Li, C.-L., 2247; Tsai, H.-A., 166
Lai, M.
—; Yang, H.; Luan, Y.; Yang, Y.; Liu, J.: Effect of PMR-POI on the Melt Behavior and Isothermal Crystallization of Poly(phenylene sulfide), 436
Lakshmi, S. See Jameela, S. R., 1873
Laks, P. See Liu, Y., 596, 608, 615
La Mantia, F. See Liu, X., 449
La Mantia, F. P.
—; Curto, D.; Scaffaro, R.: Recycling of Dry and Wet Polyamide 6, 1899
Lang, M.
—; Chu, C.-C.: Functionalized Multiarm Poly(ε-caprolactone)s: Synthesis, Structure Analysis, and Network Formation, 2296
Laosee, T. See Phinyocheep, P., 148
Lapique, F.
—; Meakin, P.; Feder, J.; Jøssang, T.: Self-Affine Fractal Scaling in Fracture Surfaces Generated in Ethylene and Propylene Polymers and Copolymers, 973
Laporta, M. See Bianchi, F., 559
Lara, J. See Perron, G., 195
Larsson, A. See Johansson, B.-L., 2618
Lazik, W.
—; Heinze, Th.; Pfeiffer, K.; Albrecht, G.; Mischnick, P.: Starch Derivatives of a High Degree of Functionalization. VI. Multistep Carboxymethylation, 743
Lee, B. H. See Kim, H., 2041
Lee, C.-F.
—; Hsieh, P.-H.; Ghosh, S. K.; Kuo, P.-L.: Emulsifying and Self-Emulsified Properties of Siloxane Polymer Grafted with Easy Hydrophile, 2408
Lee, C.-Y.
—; Ha, J.-W.; Park, I. J.; Lee, S.-B.: Surface Characteristics of Water-Soluble Cationic Fluoro Copolymers Containing Perfluoroalkyl, Quaternized Amino, and Hydroxyl Groups, 3702
Lee, D. See Mah, S., 2153
Lee, D.-J. See Yang, J.-E., 2375
Lee, D. S. See Kim, H., 2041
Lee, D. W. See Kim, S. H., 812
Lee, J. See Lyoo, W. S., 3667
Lee, J. M. See Park, H. B., 2611
Lee, J. S. See Kim, W. B., 937
Lee, J.-S. See Yeon, K.-H., 1773
Lee, J.-W. See Yeon, K.-H., 1773
Lee, J. Y. See Kim, W. G., 1942; Lu, M. G., 3461
Lee, K.-H. See Hwang, J.-E., 2847; Jegal, J., 2781; Kim, I.-C., 3502
Lee, K.-J. See Park, C.-S., 478
Lee, K.-R. See Li, C.-L., 2247
Lee, M. W.
—; Hu, X.; Yue, C. Y.; Li, L.; Tam, K. C.; Nakayama, K.: Novel Approach to Fibrillation of LCP in an LCP/PP Blend, 2070
Lee, P.-I. See Hsu, S. L.-C., 352
Lee, R.-S.
—; Yang, J.-M.: Synthesis and Characterization of Degradable Copoly(ester–amide)s: Poly(*trans*-4-hydroxy-L-proline-*co*-ε-caprolactam), 1615
Lee, S.-B. See Lee, C.-Y., 3702
Lee, S. G. See Lye, S. W., 456
Lee, S. N. See Chwang, C. P., 2002
Lee, S.-R. See Park, H.-M., 2907
Lee, S.-S. See Lyoo, W. S., 463, 3667
Lee, W.-F.
—; Chiu, R.-J.: Thermoreversible Hydrogel. XVII. Investigation of the Drug Release Behavior for *N*-Isopropylacrylamide-*co*-trimethyl acrylamidopropyl ammonium iodide-*co*-3-dimethyl (methacryloyloxyethyl) ammonium propane sulfonate} Copolymeric Hydrogels, 1592
Lee, W. S. See Chae, D. W., 216
Lee, Y.
—; Akiba, I.; Akiyama, S.: Syntheses of Poly(methyl methacrylate)/Poly(dimethyl siloxane) Graft Copolymers and Their Surface Enrichment of Their Blend with Acrylate Adhesive Copolymers, 1736
Lee, Y.-D. See Tsai, M.-F., 468; Tsai, R.-S., 3652
Lee, Y. H. See Kim, S. J., 1844; Shin, M.-S., 498
Lee, Y. K. See Park, C.-S., 478
Lee, Y. M. See Kang, J. S., 1195; Park, H. B., 2611
Lemetyinemm, H. See González-Benito, J., 2992
Le Roux, Y. See Ehabe, E., 703
Levon, K. See Khalil, H. S. A., 788
Li, B. See Ma, J., 3708
Li, C.-L.
—; Chan, S.-H.; Ting, C.; Jiang, G. J.: Synthesis and Characterization of Functionalized Syndiotactic Polystyrene Copolymers, 1038
—; Wang, Y.-C.; Kao, S.-T.; Fan, S.-C.; Lee, K.-R.; Lai, J.-Y.: Selective Separation of Water from Aqueous Alcohol Mixtures through Functionalized Syndiotactic Poly(styrene-*co*-4-methylstyrene) Membranes by Pervaporation, 2247
Li, F. See Zuo, J., 2062
Li, H. See Chen, G., 23; Li, X., 2403; Wang, J., 656
Li, J. See Dai, L., 2342; Yang, Z., 2677
Li, K. See Wang, D., 698
Li, L. See Lee, M. W., 2070; Wan, X.-B., 3160; Zhang, L., 2085
Li, P. See Zheng, J. P., 1189
Li, R. K. Y. See Tjong, S. C., 1303
Li, R.-Q.
—; Dou, D.-Y.; Miao, J.-L.; Wang, W.-F.; Yao, S.-D.; Zeng, H.-M.: Complicated Resistivity-Temperature Behavior in Polymer Composites, 2217
Li, S. See Yang, Y., 223
Li, W. See Ge, J., 2948
Li, W. C. See Ou, C.-F., 1599
Li, X.
—; Chen, Y.; Fang, P.: Study of Poly(methyl methacrylate) Film Doped with Inclusion Complex of *p-tert*-Butylcalix 8}arene, 1549
—; Hu, K.; Ji, M.; Huang, Y.; Zhou, G.: Calcium Dicarboxylates

Nucleation of β-Polypropylene, 633
—; Lu, M.; Li, H.: Electrochemical Copolymerization of Pyrrole and Thiophene Nanofibrils Using Template-Synthesis Method, 2403
—; See Deng, X., 2557; Wang, H., 3316
Li, X.-G.
—; Huang, M.-R.; Shao, H.-T.: Preparation and Characterization of the Copolymer Containing *N*-Pyridyl Bi(methacryl)imide Unit, 1673
Li, Y.
—; Su, X.; Ye, Q.: A Polyacrylic Acid as a Carrier for Immobilization of Penicillin Acylase, 2067
—; See Liu, Y., 2737
Liang, C. See Sun, J., 3312
Liao, B. See Pang, H., 2140
Liao, H.-T. See Wu, C.-S., 1792
Lim, C. H.
—; Choi, H. S.; Noh, S. T.: Surface Modification with Waterborne Fluorinated Anionic Polyurethane Dispersions, 3322
Lim, S. K.
—; Kim, J. W.; Chin, K.-J.; Choi, H. J.: Rheological Properties of a New Rubbery Nanocomposite: Polyepichlorohydrin/Organoclay Nanocomposites, 3718
Lin, J. S. See Cicero, J. A., 2639, 2828
Lin, K.-F.
—; Yeh, R.-J.: Moisture Absorption Behavior of Rubber-Modified Epoxy Resins, 3718
Lin, L.-H.
—; Chiang, C.-Y.; Liu, H.-J.; Chen, K.-M.: Preparation and Properties of Water-Soluble Polyester Surfactants. I. Preparation and Surface Activity of Poly(Ethylene Glycol)-Dimethyl 5-Sulfo-Isophthalate Sodium Salt Polyester Surfactants, 2727
—; See Liu, H.-J., 3005
Lin, S. See Cao, Y., 84; Wang, J., 656
Lin, Y.-H. See Chiang, W.-Y., 2854
Ling, X. See Jing, H., 3001
Linssen, J. P. H. See Helmroth, I. E., 3185
Liou, G.-S. See Yang, C.-P., 2763
Liu, B. See Alam, M. S., 1863
Liu, G. See Qu, X., 428
Liu, H. See Ma, J., 3708; Ye, Q., 2567
Liu, H.-J.
—; Lin, L.-H.; Chen, K.-M.: Preparation and Properties of Water-Soluble Polyester Surfactants. II. Preparation and Surface Activity of Silicone-Modified Polyester Surfactants, 3005
—; See Lin, L.-H., 2727; Shih, H.-H., 3695
Liu, J. See Lai, M., 436; Yan, Y., 1265
Liu, J. J. See Liu, W. J., 2145
Liu, L. See Deng, X., 2557
Liu, T.
—; Ma, K.; Liu, Z.; He, C.; Chung, T.-S.: Micro- and Nanomorphologies of Isotactic Polystyrene Revealed by PLM, AFM, and TEM, 422
Liu, W. G.
—; Zhang, J. R.; Yao, K. D.: DNA/Lipid Complex Organogel with Shape-Memory Behavior (Note), 259
Liu, W. J.
—; Yang, H. L.; Wang, Z.; Dong, L. S.; Liu, J. J.: Effect of Nucleating Agents on the Crystallization of Poly(3-Hydroxybutyrate-co-3-Hydroxyvalerate), 2145
Liu, X.
—; Boldizar, A.; Rigdahl, M.; Bertilsson, H.: Mechanical Properties and Fracture Behavior of Blends of Acrylonitrile–Butadiene–Styrene Copolymer and Crystalline Engineering Plastics, 2435
—; Boldizar, A.; Rigdahl, M.; Bertilsson, H.: Recycling of Blends of Acrylonitrile–Butadiene–Styrene (ABS) and Polyamide, 2535
—; La Mantia, F.; Scaffaro, R.: Oxazoline-Containing Compatibilizers for Polyamide/SAN and Polyamide/ABS Blends, 449
—; See Gu, C., 1731
Liu, Y.
—; Fan, L.; Li, Y.; Xiao, S.; Li, Y.: Electrochemistry of the Films of a Novel Class C_{60} Covalently Linked PPV Derivative: Electrochemical Quartz Crystal Microbalance Study in Acetonitrile Solutions of Tetra-*n*-butylammonium Cations, 2737
—; Laks, P.; Heiden, P.: Controlled Release of Biocides in Solid Wood. I. Efficacy Against Brown Rot Wood Decay Fungus (*Gloeophyllum trabeum*), 596
—; Laks, P.; Heiden, P.: Controlled Release of Biocides in Solid Wood. II. Efficacy Against *Trametes versicolor* and *Gloeophyllum trabeum* Wood Decay Fungi, 608
—; Laks, P.; Heiden, P.: Controlled Release of Biocides in Solid Wood. III. Preparation and Characterization of Surfactant-Free Nanoparticles, 615
—; See Deng, X., 2557; Qin, C., 1724
Liu, Z. See Liu, T., 422
Liu, Z.-J. See Hu, J.-S., 2670
Ljungberg, N.
—; Wesslén, B.: The Effects of Plasticizers on the Dynamic Mechanical and Thermal Properties of Poly(Lactic Acid), 1227
Lomakin, S. M.
—; Koverzanova, E. V.; Usachev, S. V.; Shilkina, N. G.; Zaikov, G. E.: Thermal Degradation and Combustion of Polymeric Blends, 3300
—; See Zaikov, G. E., 2449
Lopérgolo, L. C.
—; Lugão, A. B.; Catalaini, L. H.: Development of a Poly(*N*-vinyl-2-pyrrolidone)/Poly(ethylene glycol) Hydrogel Membrane Reinforced with Methyl Methacrylate-Grafted Polypropylene Fibers for Possible Use as Wound Dressing, 662
Lorentz, V. See Wu, Y.-J., 1149
Lorenz, L. F. See Conner, A. H., 3256
Loría-Bastarrachea, M. I.
—; Vázquez-Torres, H.; Aguilar-Vega, M. J.: Synthesis and Characterization of Aromatic Polyesters and Copolyesters from 4,4′-(1-Hydroxyphenylidene)-diphenol and 4,4′-(9-Fluorenylidene)diphenol, 2515
Lü, C.
—; Cui, Z.; Yang, B.; Su, X.; Huo, C.; Shen, J.: Polymerization Mechanisms and Curing Kinetics of Novel Polymercaptan Curing System Containing Epoxy/Nitrogen, 589
Lu, C.-L. See Hsiao, K.-J., 3601
Lu, M. See Li, X., 2403
Lu, M. G.
—; Lee, J. Y.; Shim, M. J.; Kim, S. W.: Synthesis and Properties of Anionic Aqueous Polyurethane Dispersions, 3461
Lu, Q.-H. See Bian, L.-J., 2707
Lu, Y.
—; Shinozaki, D. M.; Herbert, S.: Inhomogeneous Deformation in Welded High Density Polyethylene, 43
Luan, Y. See Lai, M., 436

Lubczak, R.
—; Reactions of Adenine with Ethylene Oxide and Propylene Oxide, 489
Luca, C. See Dulman, V., 3440
Lugão, A. B. See Lopérgolo, L. C., 662
Luo, Y.
—; Dai, G.: Effect of Poly(vinyl chloride) Resin Type in the Preparation Process of Slush Powder, 3331
Lutfor, M. R. See Silong, S., 2653
Lye, S. W.
—; Aw, H. S.; Lee, S. G.: Adhesives for Bead Fusion of Recycled Expandable Polystyrene, 456
Lyoo, W. S.
—; Ghim, H. D.; Kim, H.-S.; Kim, J. H.; Kim, S. S.; Yoon, W. S.; Lee, J.; Lee, S.-S.: Low-Temperature Photoinitiation Solution Polymerization Behavior of N-Vinylcarbazole in Tetrahydrofuran, 3667
—; Seo, I. S.; Yeum, J. H.; Yoon, W. S.; Ji, B. C.; Kim, B.-S.; Lee, S.-S.; Kim, B. C.: Effect of Degree of Saponification on the Rheological Properties of Syndiotactic Poly(vinyl alcohol)/Water Solution, 463

Ma, C.-C. M.
—; Wang, F.-Y.; Du, Y.-C.; Wu, C.-L.; Chiang, C.-L.; Hung, A. Y. C.: Intermolecular and Intramolecular Hydrogen Bonding of Poly(dimethylsiloxane)urethane-Graft–Poly(methyl methacrylate) Copolymers Based on 2,4-TDI and *m*-XDI, 962
—; See Hung, A. Y. C., 984
Ma, G.-H. See Sangsirimongkolying, R., 1057
Ma, J.
—; Shi, L.; Yang, M.; Li, B.; Liu, H.; Xu, J.: Synthesis and Structure of Polymethylsilsesquioxane–Clay Nanocomposite via *In Situ* Intercalative Polymerization, 3708
Ma, K. See Liu, T., 422
Ma, L.
—; Zhang, L.; Yang, J.-C.; Xie, X.-M.: Improvement in the Water-Absorbing Properties of Superabsorbent Polymers (Acrylic Acid-*co*-Acrylamide) in Supercritical CO_2, 2272
Ma, Y. L. See Zheng, J. P., 1189
Macon, D. J.
—; Anderson, G. L.: Kinetic Energy Corrections for Slip-Stick Behavior in Brittle Adhesives, 1821
Macosko, C. W. See O'Connor, A. E., 3355
Madras, G. See De, P., 957
Maeda, S. See Yamaguchi, M., 73
Magny, B. See Valette, L., 753
Magoshi, J. See Noishiki, Y., 3425; Zhang, H., 1817
Mah, S.
—; Lee, D.; Koo, D.; Kwon, S.: Photo-Induced Emulsion Polymerization of Vinyl Acetate in the Presence of Poly(Oxyethylene) Nonyl Phenyl Ether, A Nonionic Emulsifier (II), 2153
Mahajan, R.
—; Burns, R.; Schaeffer, M.; Koros, W. J.: Challenges in Forming Successful Mixed Matrix Membranes with Rigid Polymeric Materials, 881
Mahajan, S. See Chauhan, G. S., 667
Mahendran, R. See Malaisamy, R., 1749
Mai, Y. W. See Tjong, S. C., 1303
Maiti, S. See Jana, S. C., 3596
Makarenko, O. A. See Pesetskii, S. S., 64
Maki, T. See Matsuyama, H., 3205
Makuška, R. See Pamedytytė, V., 579
Malaisamy, R.
—; Mahendran, R.; Mohan, D.; Rajendran, M.; Mohan, V.: Cellulose Acetate and Sulfonated Polysulfone Blend Ultrafiltration Membranes. I. Preparation and Characterization, 1749
Malinconico, M. See De Prisco, N., 622
Mallakpour, S. E.
—; Hajipour, A.-R.; Habibi, S.: Microwave-Assisted Synthesis of New Optically Active Poly(ester-imide)s Containing *N,N'*-(pyromellitoyl)-bis-*L*-phenylalanine moieties, 2211
Mandal, S.
—; Pangarkar, V. G.: Pervaporative Separation of a 1-Methoxy Propanol and Water Mixture, 2194
Manero, O. See Anleu, E., 2693
Marco, C.
—; Gómez, M. A.; Ellis, G.; Arribas, J. M.: Activity of a β-Nucleating Agent for Isotactic Polypropylene and Its Influence on Polymorphic Transitions, 531
Marimuthu, R. See Kannan, P., 3494
Mark, J. E. See Sun, H., 1691
Marques, A. P.
—; Brett, C. M. A.; Burrows, H. D.; Monkman, A. P.; Retimal, B.: Spectral and Electrochemical Studies on Blends of Polyaniline and Cellulose Esters, 2182
Marsillac, S. See Brovelli, F., 1128
Martin, O.
—; Avérous, L.: Comprehensive Experimental Study of a Starch/Polyesteramide Coextrusion, 2586
Martinelli, A. See Carone, E., 1259
Martínez de Ilarduya, A. See Kint, D. P. R., 1077
Maruyama, N. See Tanigami, T., 1807
Masamoto, J. See Kubo, K., 3030
Masař, B.
—; Janata, M.; Vlček, P.; Toman, L.; Kurková, D.: Atom Transfer Radical Polymerization Grafting of Highly Functionalized Polystyrene and Poly(4-Methylstyrene) Macroinitiators with *tert*-Butyl Acrylate, 2930
Massardier, V. See Valette, L., 753
Mates, T. See Banach, M. J., 2021
Mathew, B. See Krishna Kumar, I. M., 1717
Mathiowitz, E. See Bailey, N. A., 1868
Matos, V.
—; Neto, A. G. M.; Nele, M.; Pinto, J. C.: Method for Quantitative Evaluation of Kinetic Constants in Olefin Polymerizations. II. Kinetic Study of a High-Activity Ziegler–Natta Catalyst Used for Bulk Propylene Polymerizations, 3226
Matsunaga, R. See Zhang, H., 1817
Matsuyama, H.
—; Tachibana, M.; Maki, T.; Teramoto, M.: Light-Scattering Study on Porous Membrane Formation by Dry-Cast Process, 3205
Matsuzawa, S. See Suzuki, M., 1970
Maunu, S. L. See Walsby, N., 33
M'Bareck, C. O.
—; Metayer, M.; Labbe, M.: Interpolymer Associations Between Poly(vinyl alcohol) and Poly(diallyldimethylammonium chloride) in Aqueous Dilute Solution, 433
McCaffery, T. R.
—; Durant, Y. G.: Application of Low-Resolution Raman Spectroscopy to Online Monitoring of

Miniemulsion Polymerization, 1507
McGill, W. J. See Shumane, M., 1516
Meakin, P. See Lapique, F., 973
Medvedevskikh, Y.
—; Bratus, A.; Hafiychuk, G.; Zaichenko, A.; Kytsya, A.; Turovski, A.; Zaikov, G.: Kinetic Model of the Block Photopolymerization of Glycidyl Methacrylate Till the High Conversions, 3556
Meng, F.
—; Zhang, B.; Zhi, J.; Guan, Y.; Jia, Y.: Synthesis and Properties of Polyether with Short Alternating Conjugated and Nonconjugated Blocks Containing Oxadiazole Units, 2682
Meng, Y. Z. See Tjong, S. C., 2330
Metayer, M. See M'Bareck, C. O., 433
Miao, J.-L. See Li, R.-Q., 2217
Mignard, N. See Brouillet-Fourmann, S., 2860
Mikeš, F. See González-Benito, J., 2992
Min, K.-E. See Choi, G.-Y., 917
Min, S. G. See Jegal, J., 2781
Minami, H. See Okubo, M., 1087
Ming, H. See Zhao, H., 2033
Minier, L. M. See Assink, R. A., 3636
Mirzadeh, H.
—; Dadsetan, M.; Sharifi-Sanjani, N.: Platelet Adhesion on Laser-Induced Acrylic Acid–Grafted Polyethylene Terephthalate, 3191
—; See Abbasi, F., 3480
Mischnick, P. See Lazik, W., 743
Mitsunaga, T.
—; Conner, A. H.; Hill, C. G., Jr.: Predicting the Reactivity of Phenolic Compounds with Formaldehyde. II. Continuation of an *Ab Initio* Study, 135
Mizanur Rahman, M.
—; Khan, M. A.; Mustafa, A. I.: Role of Sand on Curing of Partex Surface by UV Radiation, 2385
Mochizuki, A.
—; Senshu, K.; Yamashita, S.; Koshizaki, N.: Surface Structures of Solvent-Cast Films Prepared from Poly(ethylene oxide)-Segmented Nylons, 10
Mohan, D. See Malaisamy, R., 1749
Mohan, V. See Malaisamy, R., 1749
Molu, L. K.
—; Kisakürek, D.: Polymerization and Characterization of Bis(trichlorophenolato)di(pyridine) Nickel(II) and Bis(tribromophenolato)-di(pyridine) Nickel(II) Dihydrate Complexes in Solution in the Presence of Iodine, 2232
Moly, K. A.
—; Oommen, Z.; Bhagawan, S. S.; Groeninckx, G.; Thomas, S.: Melt Rheology and Morphology of LLDPE/EVA Blends: Effect of Blend Ratio, Compatibilization, and Dynamic Crosslinking, 3210
Monkman, A. P. See Marques, A. P., 2182
Moon, S.-H. See Yeon, K.-H., 1773
Morawiec, J.
—; Bartczak, Z.; Pluta, M.; Galeski, A.: High-Strength Uniaxially Drawn Tapes from Scrap Recycled Poly(ethylene terephthalate), 1426
—; Krasnikova, N. P.; Galeski, A.; Pracella, M.: Oriented Films from Recycled Poly(ethylene terephthalate)/Recycled High-Density Polyethylene Compatibilized Blends, 1486
—; See Bartczak, Z., 1405, 1413; Pawlak, A., 1473
Moreira, A. C. F. See Soares, B. G., 239
Mormile, P. See De Prisco, N., 622
Morrill, J. A. See Chappelow, C. C., 314
Morshedian, J. See Khonakdar, H. A., 2115
Mounir El Sayed, A.
—; Surface Morphology of Adsorbed Sulfur-Functionalized Polystyrene Thin Film on Gold on the Basis of Atomic Force Microscopic Observation, 1248
—; Afifi, H.: Improvement of the Compatibility of Natural Rubber/Ethylene–Propylene Diene Monomer Rubber Blends via Natural Rubber Epoxidation, 2816
Mülhaupt, R. See Kornmann, X., 2643
Muñoz-Guerra, S. See Kint, D. P. R., 1077
Murakami, A. See Yoshikawa, M., 3408
Murakami, R. See Tsukada, M., 1181
Mustafa, A. I. See Mizanur Rahman, M., 2385

Nagai, H. See Tanigami, T., 1807
Nah, C.
—; Han, S.-C.; Jo, B. W.; Kim, W. D.; Chang, Y.-W.: Influences of *trans*-Polyoctylene Rubber on the Physical Properties and Phase Morphology of Natural Rubber/Acrylonitrile–Butadiene Rubber Blends, 125
Nair, S. V.
—; Oommen, Z.; Thomas, S.: Phase Morphology Development and Melt Rheological Behaviour in Nylon 6/Polystyrene Blends, 3537
Nakahara, K. See Tsuji, H., 186
Nakahara, T. See Adachi, T., 2261
Nakanishi, Y. See Wróbel, A. M., 1445
Nakano, Y. See Igarashi, K., 901
Nakata, M. See Fujii, S., 2984
Nakatani, H. See Alam, M. S., 1863
Nakayama, K. See Lee, M. W., 2070
Nam, J.-D. See Park, C.-S., 478
Nam, S. Y. See Park, H. B., 2611
Nanda, A. K.
—; Kishore, K.: Synthesis, Properties, and Comparative Analyses on the Chain Flexibility of an Ultrastable Vinyl Polyperoxide, 2108
Nandi, A.
—; Gupta, M. D.; Banthia, A. K.: Sulfonated Polybutadiene Ionomer-Templated Nanocopper Composites, 3180
Nanjundan, S. See Balaji, R., 1023
Naskar, N.
—; Debnath, S. C.; Basu, D. K.: Effect of Thiophosphoryl Compounds as Accelerators and Coupling Agents on the Vulcanization of NR-XNBR Blend, 3286
Nazábal, J. See Ramiro, J., 2775
Nazokdast, H. See Shariatpanahi, H., 3148
Neagu, V. See Dulman, V., 3440; Untea, I., 2093
Negulescu, I. I. See Sun, L., 1911
Nekoomanesh, M. See Atai, M., 3246
Nele, M. See Matos, V., 3226
Neoh, K. G. See Zhao, B., 2099
Neto, A. G. M. See Matos, V., 3226
Ng, A. K. See Boey, F., 518
Ngolemasango, F. See Ehabe, E., 703
Nho, Y. C. See Kwon, O. H., 2348
Ni, H. See Zhang, L., 2085
Nicolais, L. See Di, Y., 3430
Niekraszewicz, B.
—; Czarnecki, P.: Modified Cellulose Fibers Prepared by the *N*-Methylmorpholine-*N*-oxide (NMMO) Process, 907
Ninomiya, T. See Sato, H., 443
Nishiyama, Y. See Noishiki, Y., 3425
Nizam El-Din, H. M. M.
—; Radiation Synthesis and Application of a Hydrogel Based on Acrylic Acid and 2-Mercaptobenzimidazole, 1607
Nkeng, G. See Ehabe, E., 703

Nkouonkam, B. See Ehabe, E., 703
Nobrega, R. See Di Luccio, M., 3085; Vauclair, C., 1709
Nodehi, A. O. See Khonakdar, H. A., 2115
Nogueira, C. L. See Botelho, E. C., 3114
Nogueira, J. S. See Silva, E. O., 1848
Noh, S. T. See Lim, C. H., 3322
Noishiki, Y.
—; Nishiyama, Y.; Wada, M.; Kuga, S.; Magoshi, J.: Mechanical Properties of Silk Fibroin–Microcrystalline Cellulose Composite Films, 3425
Nomura, M.
—; Sasaki, S.; Xue, W.; Fujita, K.: Continuous Emulsion Polymerization of Vinyl Acetate. I. Operation in a Single Continuous Stirred Tank Reactor using Sodium Lauryl Sulfate as Emulsifier, 2748
—; See Xue, W., 2755
Nunes, S. P. See Dyck, A., 2820

Ocklind, A. See Johansson, B.-L., 2618
O'Connor, A. E.
—; Macosko, C. W.: Melt versus Solvent Coating: Structure and Properties of Block–Copolymer-Based Pressure-Sensitive Adhesives, 3355
Odabasi, M. See Dankbas, E. B., 3035
Ödberg, L. See Tanaka, H., 672
Oh, D.-H. See Choi, G.-Y., 917
Ohara, H. See Kasai, T., 684
Ohashi, R. See Sawada, H., 3486
Öhrlund, Å. See Johansson, B.-L., 2618
Ohshima, M. See Areerat, S., 282
Ohta, K. See Hashimoto, K., 2307
Oishi, T.
—; Tanaka, H.; Yamasaki, H.; Onimura, K.: Synthesis of Terpolymers Having a Phospholipid Polar Group and Poly(oxyethylene) in the Side Chain and Their Protein Adsorption–Resistance Properties, 1092
Ojeda, M. C. See Acosta, J. L., 3512
Okada, M.
—; Yokoe, M.; Aoi, K.: Biodegradable Polymers Based on Renewable Resources. VI. Synthesis and Biodegradability of Poly(ester carbonate)s Containing 1,4:3,6-Dianhydro-D-glucitol and Sebacic Acid Units, 872
Okamoto, M.
—; Impact Resistance of Fibrous Glass Reinforced Plastics Using Polycarbonate-Polydimethylsiloxane Block Copolymer, 1123
Okay, O. See Kara, S., 3589
Okubo, M.
—; Konishi, Y.; Inohara, T.; Minami, H.: Production of Hollow Polymer Particles by Suspension Polymerizations for Ethylene Glycol Dimethacrylate/Toluene Droplets Dissolving Styrene–Methyl Methacrylate Copolymers, 1087
Ołdak, D. See Kaczmarek, H., 3725
Oliveira, M. G. See Soares, B. G., 239
Olmo, R. See Bernardo, M. V., 327
Omi, S. See Sangsirimongkolying, R., 1057
Onimura, K. See Oishi, T., 1092
Oommen, Z. See Moly, K. A., 3210; Nair, S. V., 3537
Orihara, H.
—; Kawasaki, T.; Doi, M.; Inoue, A.: Immiscible Polymer Blend Electrorheological Fluids: Composition Dependence, 3673
Oshima, A. See Xue, W., 2755
Ou, C.-F.
—; Li, W. C.; Chen, Y. H.: Thermal and Crystallization Characteristics of Poly(ethylene terephthalate) with Poly(oxybenzoate-*p*-trimethylene terephthalate) Copolymer, 1599
Ozaki, Y. See Sato, H., 443
Özdemir, N. See Dankbas, E. B., 3035

Pagé, D. J. Y. S.
—; Bonin, H. W.; Bui, V. T.; Bates, P. J.: Mixed Radiation Field Effects from a Nuclear Reactor on Poly(Aryl Ether Ether Ketone): A Melt Viscosity Study, 2713
Palchik, O. See Kumar, R. V., 160
Pamedytytė, V.
—; Abadie, M. J. M.; Makuška, R.: Photopolymerization of *N,N*-Dimethylaminoethylmethacrylate Studied by Photocalorimetry, 579
Pan, C.-Y. See Wang, P. H., 2732
Pan, H. See Tan, B., 2135
Pan, J. See Wang, L., 3508
Pan, Y. See Zhang, X.-W., 3173; Zheng, Q., 3166
Pang, H.
—; Liao, B.; Huang, Y.; Cong, G.: Studies on the Blends of CO_2 Copolymer. IV. Natural Rubber/Poly(propylene carbonate) Systems, 2140
Pang, S.-S. See Sun, L., 1911
Pangarkar, V. G. See Mandal, S., 2194
Papageorgiou, G. Z. See Karayannidis, G. P., 1931
Papaspyrides, C. D. See Kartalis, C. N., 1924, 2472
Paradkar, R. P. See He, X., 795
Paredes, J. C. See Cárdenas, G., 2742
Park, C.-S.
—; Lee, K.-J.; Kim, S. W.; Lee, Y. K.; Nam, J.-D.: Crystallinity Morphology and Dynamic Mechanical Characteristics of PBT Polymer and Glass Fiber-Reinforced Composites, 478
Park, H. B.
—; Nam, S. Y.; Rhim, J. W.; Lee, J. M.; Kim, S. E.; Kim, J. R.; Lee, Y. M.: Gas-Transport Properties Through Cation-Exchanged Sulfonated Polysulfone Membranes, 2611
Park, H.-M.
—; Lee, S.-R.; Chowdhury, S. R.; Kang, T.-K.; Kim, H.-K.; Park, S.-H.; Ha, C.-S.: Tensile Properties, Morphology, and Biodegradability of Blends of Starch with Various Thermoplastics, 2907
Park, I. J. See Lee, C.-Y., 3702
Park, J.-K. See Choi, N.-S., 1892; Kim, S. H., 812
Park, J. W.
—; Im, S. S.: Phase Behavior and Morphology in Blends of Poly(L-lactic acid) and Poly(butylene succinate), 647
Park, S.-H. See Park, H.-M., 2907
Park, S. J. See Kim, S. J., 1844, 2285, 2290; Shin, M.-S., 498
Park, S.-W. See Yang, J.-E., 2375
Pascault, J.-P. See Valette, L., 753
Pasch, H. See Zanetti, M., 1855
Pastras, S. V. See Karayannidis, G. P., 1931
Paul, M.-A. See Pluta, M., 1497
Pawlak, A.
—; Chapel, J.-P.; Piorkowska, E.: Morphology of iPP Spherulites Crystallized in a Temperature Gradient, 1318
—; Galeski, A.: Determination of Stresses Around Beads in Stressed Epoxy Resin by Photoelasticity, 1436
—; Morawiec, J.; Pazzagli, F.; Pracella, M.; Galeski, A.: Recycling of Postconsumer Poly(ethylene terephthalate) and High-Density

Polyethylene by Compatibilized Blending, 1473
Pazzagli, F. See Pawlak, A., 1473
Pearson, R. A. See Goodelle, J. P., 2463
Pecherz, J. See Uznanski, P., 1459
Pegoraro, M. See Bianchi, F., 559
Peisahov-Korol, J. See Geresh, S., 1157
Pekcan, O. See Kara, S., 3589
Pelous, E. See Billon, N., 725
Peng, H.-S. See Chen, S.-C., 3064
Peng, J.
—; Zhang, X.; Qiao, J.; Wei, G.: Radiation Preparation of Ultrafine Carboxylated Styrene–Butadiene Rubber Powders and Application for Nylon 6 as an Impact Modifier, 3040
Perron, G.
—; Desnoyers, J. E.; Lara, J.: Permeation of Mixtures of Organic Liquids through Polymeric Membranes: Role of Liquid–Liquid Interactions, 195
Pesetskii, S. S.
—; Jurkowski, B.; Makarenko, O. A.: Free Radical Grafting of Itaconic Acid and Glycidyl Methacrylate onto PP Initiated by Organic Peroxides, 64
Pessan, L. A. See Bassani, A., 3466
Petti, L. See De Prisco, N., 622
Pfaendner, R. See Kartalis, C. N., 2472
Pfeiffer, K. See Lazik, W., 743
Phinyocheep, P.
—; Axtell, F. H.; Laosee, T.: Influence of Compatibilizers on Mechanical Properties, Crystallization, and Morphology of Polypropylene/Scrap Rubber Dust Blends, 148
Pinto, J. C. See Matos, V., 3226
Pinzino, C. S. See Chappelow, C. C., 314
Pionteck, J. See Kaya, A., 2174; Pompe, G., 3445
Piorkowska, E.
—; Modeling of Polymer Crystallization in a Temperature Gradient, 1351
—; Billon, N.; Haudin, J. M.; Kolasinska, J.: Spherulitic Structure Development During Crystallization in a Finite Volume, 1373
—; Galeski, A.: Modeling of Polymer Crystallization in Plates, Pipes, and Rods During Cooling, 1363
—; See Pawlak, A., 1318
Pizzi, A. See Garnier, S., 852, 864; Simon, C., 3681; Zanetti, M., 1855
Pluta, M.
—; Galeski, A.: Crystalline and Supermolecular Structure of Polylactide in Relation to the Crystallization Method, 1386
—; Galeski, A.; Alexandre, M.; Paul, M.-A.; Dubois, P.: Polylactide/Montmorillonite Nanocomposites and Microcomposites Prepared by Melt Blending: Structure and Some Physical Properties, 1497
—; See Morawiec, J., 1426
Pompe, G.
—; Pötschke, P.; Pionteck, J.: Reactive Melt Blending of Modified Polyamide and Polypropylene: Assessment of Compatibilization by Fractionated Crystallization and Blend Morphology, 3445
—; See Kaya, A., 2174
Pötschke, P. See Pompe, G., 3445
Poulakis, J. G. See Kartalis, C. N., 1924
Power, M. D. See Chappelow, C. C., 314
Pracella, M. See Morawiec, J., 1486; Pawlak, A., 1473
Pricope, D.
—; Shinozaki, D. M.: Strengthening Due to Interlamellar Constraint in Oriented Syndiotactic Styrene–*p*-Methyl Styrene Copolymer, 2312
Prieto, A. See Jana, S. C., 2159, 2168

Qian, X.-F. See Bian, L.-J., 2707
Qiao, J. See Peng, J., 3040
Qin, C.
—; Du, Y.; Xiao, L.; Liu, Y.; Yu, H.: Moisture Retention and Antibacterial Activity of Modified Chitosan by Hydrogen Peroxide, 1724
Qu, X.
—; Shang, S.; Liu, G.; Zhang, L.: Graft Copolymerization of Styrene and Acrylonitrile onto EPDM, 428
Qufeng, L. See Jing, H., 3001

Rahman, M. M. See Khan, M. A., 692
Rai, J. S. P. See Srivastava, A., 3197
Rajendran, M. See Malaisamy, R., 1749
Ramiro, J.
—; Eguiazábal, J. I.; Nazábal, J.: Effects of Reprocessing on the Structure and Mechanical Properties of Poly(trimethylene terephthalate), 2775
Ranganathaiah, C.
—; Thermally Induced Microstructural Changes in Cotton Fibers: A Free-Volume Study, 3336
Rao, G. H. R. See Chandy, T., 1285
Rao, P. S.
—; Sathyanarayana, D. N.: Inverted Emulsion Cast Electrically Conducting Polyaniline–Polystyrene Blends, 1163
Rao, V.
—; Ashokan, P. V.; Amar, J. V.: Studies on Dielectric Relaxation and ac Conductivity of Cellulose Acetate Hydrogen Phthalate–Poly (vinyl pyrrolidone) Blend, 1702
Rath, S. K. See Boey, F., 518
Ratna, D. See Samui, A. B., 2523
Ray, D.
—; Sarkar, B. K.; Bose, N. R.: Fracture Characteristics of Vinylester Resin under Impact Fatigue, 1995
Ray, J. K. See Roy, B. C., 2662
Ray, W. H. See Zhang, M., 1047, 1630
Reddy, A. V. R. See Subramanian, K., 3264
Redzende, M. C. See Botelho, E. C., 3114
Reis, R. L. See Sousa, R. A., 2873
Remon, J. P. See Geresh, S., 1157
Retimal, B. See Marques, A. P., 2182
Reyes, P.
—; Borda, G.; Rivas, B. L.; Cárdenas, G.: Polymer-Based Catalysts for Toluene Hydrogenation, 381
Rhee, H.-K. See Ha, K.-S., 993
Rhim, J. W. See Park, H. B., 2611
Ribes-Greus, A. See Contat-Rodrigo, L., 174, 764; Sáenz de Juano-Arbona, V., 1953; Vallés-Lluch, A., 405
Rich, J.
—; Karjalainen, T.; Ahjopalo, L.; Seppälä, J.: Model Compound Release from DL-Lactide/ε-Caprolactone Copolymers and Evaluation of Specific Interactions by Molecular Modeling, 1
Rigdahl, M. See Liu, X., 2435, 2535
Ríos, L. See Vilchis, L., 3271
Rivas, B. L. See Reyes, P., 381
Rivera, J. See Karbhari, V. M., 2255
Robin, J.-J. See Gaboyard, M., 2011
Rocha, M. C. G. See Guimarães, M. J. O. C., 2240
Rode, K. See Zanetti, M., 1855
Rogunova, M. See Hu, Y. S., 98
Rouchon, D. See Kieffel, Y., 395
Roy, B. C.
—; Gupta, M. D.; Bhowmik, L.; Ray, J. K.: Synthesis and Characterization of Electrically

Conducting Copolymer of Aniline and *o*-Bromoaniline Using Methane Sulfonic Acid as Dopant, 2662
Ruaan, R.-C. See Tsai, H.-A., 166
Runt, J. See Cicero, J. A., 2639, 2828
Ryu, S. H. See Hwang, K. K., 2701

Saad, G. R. See Abou-Aiad, T. H., 2363
Saçak, M. See Çelik, M., 53
Sadaghiani, K. See Shariatpanahi, H., 3148
Sáenz de Juano-Arbona, V.
—; Vallés-Lluch, A.; Contat-Rodrigo, L.; Ribes-Greus, A.: Chemical and Thermal Characterization of High- and Low-Density Irradiated Polyethylenes, 1953
Saikia, P. J.
—; Goswami, A.; Baruah, S. D.: Transition Metal-Catalyzed Atom Transfer Radical Polymerization of Stearyl Methacrylate in the Presence of Carbon Tetrabromide and a Conventional Radical Initiator, 386
Sailaja, R. R. N.
—; Chanda, M.: Use of Poly(ethylene-*co*-vinyl alcohol) as Compatiblizer in LDPE/Thermoplastic Tapioca Starch Blends, 3126
Sainte-Beuve, J. See Ehabe, E., 703
Samouillan, V. See Brouillet-Fourmann, S., 2860
Samui, A. B.
—; Ratna, D.; Chavan, J. G.; Deb, P. C.: Modification of Epoxy Resin with Optically Active Carboxylic Acid, 2523
Sandor, M. See Bailey, N. A., 1868
Sandström, J. See Andersson, T., 1580
Sangsirimongkolying, R.
—; Kiatkamjornwong, S.; Damronglerd, S.; Ma, G.-H.; Omi, S.: Multilayered Polymer Particles. I. Synthesis of Hydrophilic Poly(dimethyl aminoethyl methacrylate) Core Particles, 1057
Sansalvadó, A. See Kint, D. P. R., 1077
Santore, M. M. See Goodelle, J. P., 2463
Sarac, A.
—; Erbil, H. Y.; Yildirim, H.: Semicontinuous Emulsion Polymerization of Vinyl Acetate: Effect of Ethoxylation Degree of Nonionic Emulsifiers, 844
Sarkar, B. K. See Ray, D., 1995
Sasaki, N. See Fujii, S., 2984
Sasaki, S. See Nomura, M., 2748
Šašic, S. See Sato, H., 443
Sathyanarayana, D. N. See De, P., 639, 957; Rao, P. S., 1163
Sato, H.
—; Shimoyama, M.; Kamiya, T.; Amari, T.; Šašic, S.; Ninomiya, T.; Siesler, H. W.; Ozaki, Y.: Raman Spectra of High-Density, Low-Density, and Linear Low-Density Polyethylene Pellets and Prediction of Their Physical Properties by Multivariate Data Analysis, 443
Sato, S. See Xue, W., 2755
Sawada, H.
—; Yoshioka, H.; Ohashi, R.; Kawase, T.: Synthesis and Properties of Novel Fluoroalkyl End-Capped Oligomers Containing Silsesquioxane Segments, 3486
Sayed, W. M. See Soliman, L. I., 1558
Scaffaro, R. See La Mantia, F. P., 1899; Liu, X., 449
Schaeffer, M. See Mahajan, R., 881
Schaetzel, P. See Vauclair, C., 1709
Schiavone, R. J.
—; Solid State Polymerization (SSP) of Low Molecular Weight Poly(ethylene terephthalate) (PET) Copolyesters Compared to Conventional SSP of PET, 230
Schiradli, D. A. See Hu, Y. S., 98
Schulze, U. See Kaya, A., 2174
Seehra, G. P. See Silver, F. H., 1978
Seferis, J. C. See Wu, Y.-J., 1149
Sen, K. See Bajaj, P., 773
Senak, L. See Wu, C.-S., 1312
Sengupta, P. K. See Jana, S. C., 3596
Senshu, K. See Mochizuki, A., 10
Senthil, S. See Kannan, P., 3494
Seo, C.-W. See Choi, G.-Y., 917
Seo, I. S. See Lyoo, W. S., 463
Seppälä, J. See Rich, J., 1; Tynys, A., 1886
Seppälä, J. V. See Helminen, A., 3616
Sethi, M.
—; Gupta, N. K.; Srivastava, A. K.: Dynamic Mechanical Analysis of Polyethylene and Ethylene Vinylacetate Copolymer Blends Irradiated by Electron Beam, 2429
Shambaugh, R. L. See Kearns, J. C., 2079
Shang, S. See Qu, X., 428
Shao, H. See Teng, X., 2338; Zhang, Y., 3389
Shao, H.-T. See Li, X.-G., 1673
Shariatpanahi, H.
—; Nazokdast, H.; Dabir, B.; Sadaghiani, K.; Hemmati, M.: Relationship Between Interfacial Tension and Dispersed-Phase Particle Size in Polymer Blends. I. PP/EPDM, 3148
Sharifi-Sanjani, N. See Mirzadeh, H., 3191
Sharma, B. R.
—; Kumar, V.; Soni, P. L.: Ceric Ammonium Nitrate-Initiated Graft Copolymerization of Acrylamide onto *Cassia tora* Gum, 3250
Shau, M.-D. See Yeh, C.-F., 141
Shehata, A. B.
—; Amer, M.: Effect of Isomerization on the Stability of the Surface Aggregation Structure of Chlorinated Polyacrylamide Thin Films on the Basis of Interferometric Observations, 2601
Shen, J. See Lü, C., 589
Shen, K. See Zhang, G., 58
Sheng, Q. See Erhan, S. Z., 1684
Shi, L. See Ma, J., 3708
Shiao, P.-L. See Shih, H.-H., 3695
Shih, H.-H.
—; Shiao, P.-L.; Hsu, H.-C.; Liu, H.-J.; Huang, C.-J.; Tsai, C.-C.: Effects of Microstructures on the Viscoelastic and Rheological Properties of Metallocene-Catalyzed Cyclo-Olefin Copolymers: A Preliminary Study, 3695
Shih, Y.-F.
—; Jeng, R.-J.: Carbon Black Containing IPNs Based on Unsaturated Polyester/Epoxy. I. Dynamic Mechanical Properties, Thermal Analysis, and Morphology, 1904
Shilkina, N. G. See Lomakin, S. M., 3300
Shim, M. J. See Lu, M. G., 3461
Shimizu, K. See Tanigami, T., 1807
Shimoyama, M. See Sato, H., 443
Shin, B.-S. See Tsukada, M., 1181
Shin, H.-G. See Kim, G.-H., 1071
Shin, M.-S.
—; Kim, S. J.; Park, S. J.; Lee, Y. H.; Kim, S. I.: Synthesis and Characteristics of the Interpenetrating Polymer Network Hydrogel Composed of Chitosan and Polyallylamine, 498
—; See Kim, S. J., 2285, 2290
Shinbo, T. See Iwatsubo, T., 265
Shinozaki, D. M. See Lu, Y., 43; Pricope, D., 2312
Shi, Q. See Sun, X., 3712
Shi, W. See Sun, J., 3312
Shi, X. See Ge, J., 2948

Shumane, M.
—; Gradwell, M. H. S.; McGill, W. J.: Effect of Water and Hydrogen Sulfide in Zinc Dimethyldithiocarbamate Accelerated Sulfur Vulcanization, 1516
Siesler, H. W. See Sato, H., 443
Silong, S.
—; Lutfor, M. R.; Ab Rahman, M. Z.; Wan Yanus, W. M. Z.; Haron, M. J.; Ahmad, M. B.; Wan Yusoff, W. M. D.: Synthesis and Characterization of Side-Chain Liquid-Crystalline Polyacrylates Containing Azobenzene Moieties, 2653
Silva, E. O.
—; Tavares, M. I. B.; Bathista, A. L. B. S.; Filho, N. P.; Nogueira, J. S.: High-Resolution Carbon-13 Nuclear Magnetic Resonance Study of Natural Resins, 1848
Silver, F. H.
—; Seehra, G. P.; Freeman, J. W.; DeVore, D.: Viscoelastic Properties of Young and Old Human Dermis: A Proposed Molecular Mechanism for Elastic Energy Storage in Collagen and Elastin, 1978
Simon, C.
—; George, B.; Pizzi, A.: Copolymerization in UF/pMDI Adhesives Networks, 3681
Siqin, D.
—; Chen, W.: Radiation Effects on HDPE/EVA Blends, 553
Slusarski, L. See Bielinski, D., 3368
Sneshkoff, N.
—; Crabb, K.; BelBruno, J. J.: An Improved Molecularly Imprinted Polymer Film for Recognition of Amino Acids, 3611
Soares, B. G.
—; Alves, F. F.; Oliveira, M. G.; Moreira, A. C. F.: The Effect of Mercapto-Modified Ethylene–Vinyl Acetate (EVA) on Curing Parameters, Mechanical Properties, and Thermal Properties of Vulcanized Styrene–Butadiene Rubber (SBR)/EVA Blends, 239
Soliman, L. I.
—; Sayed, W. M.; Hendia, T. A.; Amaly, M. H.: Investigation of Electrical and Optical Properties of Polyvinyl Acetate Doped with Some Polymers, 1558
Şolpan, D.
—; Duran, S.; Güven, O.: Synthesis and Properties of Radiation-Induced of Acrylamide-Acrylic Acid Hydrogels, 3570
Sombatsompop, N.
—; Extrudate Swell and Texture of PS, LDPE, ABS, PVC Melts and their Blends in Extrusion Capillary Flow using a Magnetic Die, 509
—; Dangtangee, R.: Effects of the Actual Diameters and Diameter Ratios of Barrels and Dies on the Elastic Swell and Entrance Pressure Drop of Natural Rubber in Capillary Die Flow, 1762
Song, M.-D. See Guo, T.-Y., 3078
Soni, P. L. See Sharma, B. R., 3250
Sousa, R. A.
—; Reis, R. L.; Cunha, A. M.; Bevis, M. J.: Structure Development and Interfacial Interactions in High-Density Polyethylene/Hydroxyapatite (HDPE/HA) Composites Molded with Preferred Orientation, 2873
Spruiell, J. E. See Supaphol, P., 1009
Sreekumar, T. V. See Bajaj, P., 773
Srivastava, A.
—; Agrawal, S.; Rai, J. S. P.: Kinetics of Esterification of Cycloaliphatic Epoxies with Methacrylic Acid, 3197
Srivastava, A. K. See Sethi, M., 2429
Sterling, A. M. See Sun, L., 1911
Stubblefield, M. A. See Sun, L., 1911
Su, X. See Li, Y., 2067; Lü, C., 589
Subramanian, K.
—; Reddy, A. V. R.: Synthesis and Characterization of Photosensitive Copolymers of 4-(4′-Nitrocinnamoyl)phenyl Acrylate and Glycidyl Methacrylate, 3264
Sudha, M. See Anbarasan, R., 3108
Sudo, M. See Hashimoto, K., 2307
Sugimura, T. See Hashimoto, K., 2307
Sun, G. J. See Chae, K. H., 1172
Sun, H.
—; Mark, J. E.: Preparation, Characterization, and Mechanical Properties of Some Microcellular Polysulfone Foams, 1691
Sun, J.
—; Shi, W.; Chen, D.; Liang, C.: The Ring-Opening Polymerization of D,L-Lactide Catalyzed by New Complexes of Cu, Zn, Co, and Ni Schiff Base Derived from Salicylidene and *L*-Aspartic Acid, 3312
—; See Cao, Y., 84
Sun, L.
—; Pang, S.-S.; Sterling, A. M.; Negulescu, I. I.; Stubblefield, M. A.: Dynamic Modeling of Curing Process of Epoxy Prepreg, 1911
Sun, X.
—; Zhang, G.; Shi, Q.; Di, W.; Tang, B.; Wu, Z.: Study on Foaming Water-Swellable EPDM Rubber, 3712
Sun, Y.-M. See Hung, A. Y. C., 984
Sundholm, F. See Walsby, N., 33
Sundholm, G. See Walsby, N., 33
Supaphol, P.
—; Spruiell, J. E.: Nonisothermal Bulk Crystallization of High-Density Polyethylene via a Modified Depolarized Light Microscopy Technique: Further Analysis, 1009
Suwanprateeb, J.
—; Hatthapanit, K.: Rice-Husk-Ash-Based Silica as a Filler for Embedding Composites in Electronic Devices, 3013
Suzuki, K.-i. See Yamaguchi, M., 73, 79
Suzuki, M.
—; Tanigami, T.; Matsuzawa, S.; Yamaura, K.: Influence of Molecular Weight and Syndiotacticity on the Structure of High-Performance Poly(vinyl alcohol) Fibers Prepared by Gel Spinning, 1970
Suzuki, N.
—; Yatsuyanagi, F.; Ito, M.; Kaidou, H.: Effects of Surface Chemistry of Silica Particles on Secondary Structure and Tensile Properties of Silica-Filled Rubber Systems, 1622
Sweeney, J. See Unwin, A. P., 3135
Swerin, A. See Tanaka, H., 672
Szalla, A. See Kaczmarek, H., 3725

Tachibana, M. See Matsuyama, H., 3205
Tak, T.-M. See Kim, I.-C., 3502
Tam, K. C. See Lee, M. W., 2070
Tan, B.
—; Pan, H.; Irshad, H.; Chen, X.: Synthesis of Ultraviolet-Curable Modified Polysiloxane and its Surface Properties, 2135
Tan, H. See Wang, C., 3120
Tanaka, H.
—; Swerin, A.; Ödberg, L.; Tanaka, M.: Homogeneous Fluorescent

Labeling of Cationic Polyacrylamides, 672
—; See Oishi, T., 1092
Tanaka, M. See Tanaka, H., 672
Tang, B. See Sun, X., 3712
Tang, G.-L. See Guo, T.-Y., 3078
Tang, J.
—; Daniels, E. S.; Dimonie, V. L.; Klein, A.; El-Aasser, M. S.: Influence of Particle Surface Properties on Film Formation from Precipitated Calcium Carbonate/Latex Blends, 891
—; Daniels, E. S.; Dimonie, V. L.; Vratsanos, M. S.; Klein, A.; El-Aasser, M. S.: Mechanical Properties of Films Prepared from Model High-Glass-Transition-Temperature/Low-Glass-Transition-Temperature Latex Blends, 2788
Tang, T. See Tong, X., 3532
Tang, X. See Chen, D., 709
Tang, X.-D. See Wang, Y.-Z., 1278
Tanigami, T.
—; Maruyama, N.; Yamazaki, K.; Ichikawa, Y.; Nagai, H.; Shimizu, K.: Phase Structure in the Blend of Atactic Poly(vinyl alcohol) with Atactic Poly(vinyl alcohol-*block*-vinyl acetate), 1807
—; See Suzuki, M., 1970
Tavares, M. I. B. See De Souza, C. M. G., 116; Silva, E. O., 1848
Teijón, J. M. See Bernardo, M. V., 327
Teng, X.
—; Shao, H.; Hu, X.: Molecular Weight Distribution of Polyacrylonitrile Produced in Supercritical CO_2, 2338
Teo, W. K. See Wang, D., 698
Teramoto, M. See Matsuyama, H., 3205
Terano, M. See Alam, M. S., 1863
Tessiri, S. See Kiatkamjornwong, S., 1829
Thomann, R. See Kornmann, X., 2643
Thomas, S. See Moly, K. A., 3210; Nair, S. V., 3537
Thombre, S.
—; Melting Behavior and Surface Morphology of Poly(vinyl acetate-*co*-vinyl alcohol) Copolymer, 1211
Tian, J.
—; Huang, Y. L.: Antiwear and Lubrication Properties of Polyurethane/Polytetrafluoroethylene-Bonded Coating, 3454
Tieghi, G. See Bianchi, F., 559
Tien, Y. I.
—; Wei, K. H.: The Effect of Nano-Sized Silicate Layers from Montmorillonite on Glass Transition, Dynamic Mechanical, and Thermal Degradation Properties of Segmented Polyurethane, 1741
Tinçer, T. See Biran, C., 1663
Ting, C. See Li, C.-L., 1038
Tjong, S. C.
—; Meng, Y. Z.; Xu, Y.: Preparation and Properties of Polyamide 6/Polypropylene–Vermiculite Nanocomposite/Polyamide 6 Alloys, 2330
—; Xu, S. A.; Li, R. K. Y.; Mai, Y. W.: Preparation and Performance Characteristics of Short-Glass-Fiber/Maleated Styrene–Ethylene–Butylene–Styrene/Polypropylene Hybrid Composites, 1303
Toman, L. See Masař, B., 2930
Tong, X.
—; Tang, T.; Feng, Z.; Huang, B.: Preparation of Polymer/Silica Nanoscale Hybrids through Sol-Gel Method Involving Emulsion Polymers: II. Poly(ethyl acrylate)/SiO_2, 3532
Tongrubbai, B. See Wootthikanokkhan, J., 1532
Toppare, L. See Biran, C., 1663
Toti, U. S. See Kurkuri, M. D., 3642
Tracz, A.
—; Ion Exchange in $(BO)_{2.4}I_3$ Microcrystals: A Method for Obtaining Colorless, Transparent, Metallically Conductive Polymer Films, 1465
—; Jeszka, J. K.; Kucińska, I.; Chapel, J.-P.; Boiteux, G.; Kryszewski, M.: Influence of the Crystallization Conditions on the Morphology of the Contact Layer of Polyethylene Crystallized on Graphite: Atomic Force Microscopy Studies, 1329
Travers, J. P. See Kieffel, Y., 395
Tsai, C.-C. See Shih, H.-H., 3695
Tsai, H.-A.
—; Ruaan, R.-C.; Wang, D.-M.; Lai, J.-Y.: Effect of Temperature and Span Series Surfactant on the Structure of Polysulfone Membranes, 166
Tsai, H.-B. See Tsai, R.-S., 3652
Tsai, M.-F.
—; Lee, Y.-D.; Chen, K.-N.: NMR Spectroscopic Studies of Dimethyldiethoxy Silane Hydrolysis and Polysiloxane Conversion, 468
Tsai, R.-S.
—; You, J.-W.; Lee, Y.-D.; Tsai, H.-B.: Block Copolyesters of Poly(pentamethylene 2,6-Naphthalenedicarboxylate) and Poly(tetramethylene Adipate), 3652
Tseng, C.-R.
—; Wu, S.-C.; Wu, J.-J.; Chang, F.-C.: Crystallization Behavior of Syndiotactic Polystyrene Nanocomposites for Melt- and Cold-Crystallizations, 2492
Tsenoglou, C. J. See Kartalis, C. N., 1924
Tsuchimori, M. See Hasegawa, M., 17
Tsuji, H.
—; Nakahara, K.: Poly(L-lactide). IX. Hydrolysis in Acid Media, 186
Tsukada, M.
—; Katoh, H.; Wilson, D.; Shin, B.-S.; Arai, T.; Murakami, R.; Freddi, G.: Production of Antimicrobially Active Silk Proteins by Use of Metal-Containing Dyestuffs, 1181
Tudorache, E. See Untea, I., 2093
Turner, R. B. See John, J., 3097
Turovski, A. See Medvedevskikh, Y., 3556
Tynys, A.
—; Hippi, U.; Seppälä, J.: Toughening Liquid-Crystalline Polymers with Polyethylenes Containing Epoxy Functionality, 1886

Ünal, H. I.
—; Yilmaz, H.: Electrorheological Properties of Poly(lithium-2-acrylamido-2-methyl propane sulfonic acid) Suspensions, 1106
Untea, I.
—; Tudorache, E.; Neagu, V.: Cr(VI)-Containing Wastewater Treatment by Means of Ion Exchange on Weak- and Strong-Base Anion Exchangers, 2093
Unwin, A. P.
—; Duckett, R. A.; Ward, I. M.; Collins, T. L. D.; Sweeney, J.; Coates, P. D.: Suppression of Necking in Polyethylene, 3135
Upadhyay, D. J. See Bhat, N. V., 925
Urban, M. W. See Han, Q., 2322
Usachev, S. V. See Lomakin, S. M., 3300
Usmani, A. M.
—; Donley, M.: Aircraft-Coating Weathering Studies by Analytical Methods, 294

Uznanski, P.
—; Pecherz, J.: Surface Plasmon Resonance of Azobenzene-Incorporated Polyelectrolyte Thin Films as an H^+ Indicator, 1459
Uzun, L.
—; Denizli, A.: Metal-Chelated Polyamide Hollow Fibers for Human Serum Albumin Separation, 3346

Vaia, R. A. See Banach, M. J., 2021
Valette, L.
—; Massardier, V.; Pascault, J.-P.; Magny, B.: Synthesis and Photopolymerization of Acrylic Acrylate Copolymers, 753
Valladares, D.
—; Cakmak, M.: Initiation and Development of the Heat-Affected Zone in the Vibration Welding of Polyvinylidene Fluoride and Its Copolymers, 3377
Vallés-Lluch, A.
—; Contat-Rodrigo, L.; Ribes-Greus, A.: Degradation Studies of LDPE–Mater-Bi Blends Annealed and Aged in Soil, 405
—; See Sáenz de Juano-Arbona, V., 1953
van Nostrum, C. F. See de Jong, S. J., 289
Vasile, C. See Bumbu, G., 1782
Vauclair, C.
—; Schaetzel, P.; Nobrega, R.; Habert, C.: Dehydration of Light Oil by Pervaporation Using Poly(vinyl alcohol)–Poly(acrylic acid-*co*-maleic acid) Membranes, 1709
Vázquez-Torres, H. See Loría-Bastarrachea, M. I., 2515
Vijayakumar, R. See Kannan, P., 3494
Vilchis, L.
—; Ríos, L.; Villalobos, M. A.; Guyot, A.: *In Situ* Syntheses of a Suspension Agent Based on a Styrene–Acrylic Acid Copolymer for the Suspension Polymerization of Styrene, 3271
Villalobos, M. A. See Vilchis, L., 3271
Vittoria, V. See Gorrasi, G., 347
Vlček, P. See Masař, B., 2930
Voit, B. See Kaya, A., 2174
Voorspoels, J. See Geresh, S., 1157
Vorster, O. C. See Garnier, S., 852, 864
Vratsanos, M. S. See Tang, J., 2788

Wada, M. See Noishiki, Y., 3425
Walkiewicz-Pietrzykowska, A. See Wróbel, A. M., 1445
Walsby, N.
—; Hietala, S.; Maunu, S. L.; Sundholm, F.; Kallio, T.; Sundholm, G.: Water in Different Poly(styrene sulfonic acid)-Grafted Fluoropolymers, 33
Wan, K. P. Y. See Cheung, M. K., 1253
Wan, X.-B.
—; Li, L.; He, J.-B.; Zhou, D.-S.; Xue, G.; Wang, T.-W.: Electrochemical DCegradation of Polyfuran in Wet Acetonitrile and Aqueous Solutions, 3160
Wang, C.
—; Huang, X.; Yang, J.: Cationic Cyclization of Neoprene with a Diethylaluminum Chloride and Organic Chloride Catalyst System, 2227
—; Zhang, G.; Dong, Y.; Chen, X.; Tan, H.: Study on a Water-Swellable Rubber Compatiblized by Amphiphilic Block Polymer Based on Poly(ethylene oxide) and Poly(butyl acrylate), 3120
Wang, D.
—; Teo, W. K.; Li, K.: Permeation of H_2, N_2, CH_4, C_2H_6, and C_3H_8 Through Asymmetric Polyetherimide Hollow-Fiber Membranes, 698
—; See Gu, C., 1731
Wang, D.-M. See Tsai, H.-A., 166
Wang, F.-Y. See Hung, A. Y. C., 984; Ma, C.-C. M., 962
Wang, G.
—; Jiang, P.; Zhu, Z.; Yin, J.: Performance Evaluation of Synthesized Acrylic Acid Grafted Polyethylene in Aluminum Hydroxide Highly Filled Polyethylene Composites, 2544
—; See Zhang, L., 2085
Wang, H.
—; Li, X.: Novel Copolymers for Electroluminescent Devices, 3316
—; See Yan, Y., 1265
Wang, H.-L. See Chen, S.-C., 3064
Wang, J.
—; Zhu, F.; Li, H.; Lin, S.: Characterization and Properties of sPS/PET/SsPS-K Engineering Plastic Alloys, 656
Wang, L.
—; Wang, X. J.; Pan, J.; Feng, L. X.: Study on ESR Spectra of Poly(ferrocenyldimethylsilane)/TCNE and Spin-Probed Poly(ferrocenyldimethylsilane), 3508
Wang, M. See Ge, J., 2948
Wang, P. H.
—; Pan, C.-Y.: Polymer Microspheres with Surface Chains Prepared by Dispersion Copolymerization Using Poly(oxyethylene) Macromonomer, 2732
Wang, S.
—; Hua, W.; Chen, X.; Hou, Y.: Synthesis and Light-Emitting Properties of New Poly(*p*-phenylenevinylene) Derivatives Containing Oxadiazole Moiety, 2424
—; See Hao, J. H., 1564; Zhang, Y., 2222
Wang, T.-S. See Yeh, C.-F., 141
Wang, T.-W. See Wan, X.-B., 3160
Wang, W.-F. See Li, R.-Q., 2217
Wang, X. See Chen, D., 709; Gu, C., 1731
Wang, X. J. See Wang, L., 3508
Wang, Y. See Zhang, G., 58
Wang, Y.-C. See Li, C.-L., 2247
Wang, Y.-X.
—; Ishida, H.: Development of Low-Viscosity Benzoxazine Resins and Their Polymers, 2953
Wang, Y.-Z.
—; Chen, X.-T.; Tang, X.-D.: Synthesis, Characterization, and Thermal Properties of Phosphorus-Containing, Wholly Aromatic Thermotropic Copolyesters, 1278
Wang, Z. See Liu, W. J., 2145; Zhang, Y., 2222
Wan Yanus, W. M. Z. See Silong, S., 2653
Wan Yusoff, W. M. D. See Silong, S., 2653
Ward, I. M. See Unwin, A. P., 3135
Watanabe, O. See Hasegawa, M., 17
Weder, C. See Beekman, E., 1235
Wei, B. See Cao, Y., 84
Wei, G. See Peng, J., 3040
Wei, K. H. See Tien, Y. I., 1741
Wentrup-Byrne, E. See Grøndahl, L., 2550
Wenxiu, C. See Dalai, S., 1296, 3420
Wesslén, B. See Andersson, T., 1580; Ljungberg, N., 1227
West, J. L. See Ha, K., 3072
White, J. R. See Bhowmick, A. K., 2393
Wilhelm, H. M.
—; Felisberti, M. I.: Morphology and Mechanical Properties of Polypropylene/Maleated Styrene–Butadiene–Styrene Triblock Copolymer Blends, 359
—; Felisberti, M. I.: Reactive Compatibilization of Maleated Polypropylene and Maleated

Poly(styrene-*b*-butadiene-*b*-styrene) Blends, 366
Wilson, D. See Tsukada, M., 1181
Wilson, R. F. See Chandy, T., 1285
Wong, C. P. See Zhang, Z., 1572
Wootthikanokkhan, J.
—; Tongrubbai, B.: A Study on Morphology and Physical Properties of Natural–Acrylic Rubber Blends, 1532
Wright, T.
—; Jones, A. S.; Harwood, H. J.: Enhancement of the High-Temperature Properties of an SEBS Thermoplastic Elastomer by Chemical Modification, 1203
Wróbel, A. M.
—; Walkiewicz-Pietrzykowska, A.; Klemberg-Sapieha, J. E.; Hatanaka, Y.; Aoki, T.; Nakanishi, Y.: Remote Hydrogen Plasma Chemical Vapor Deposition of Silicon–Carbon Thin-Film Materials from a Hexamethyldisilane Source: Characterization of the Process and the Deposits, 1445
Wronikowski, M. See Ambroziak, M., 2124, 2130
Wu, C.-L. See Ma, C.-C. M., 962
Wu, C.-S.
—; Liao, H.-T.: Influence of a Compatibilizer on the Properties of Polyethylene–Octene Elastomer/Starch Blends, 1792
—; Senak, L.; Bonilla, J.; Cullen, J.: Comparison of Relative Viscosity Measurement of Polyvinylpyrrolidone in Water by Glass Capillary Viscometer and Differential Dual-Capillary Viscometer, 1312
Wu, J.-J. See Tseng, C.-R., 2492
Wu, R. See Ge, J., 2948
Wu, S.-C. See Tseng, C.-R., 2492
Wu, Y.-J.
—; Seferis, J. C.; Lorentz, V.: Evaluations of an Aramid Fiber in Nonwoven Processes for Honeycomb Applications, 1149
Wu, Z. See Sun, X., 3712

Xiao, L. See Qin, C., 1724
Xiao, S. See Liu, Y., 2737
Xiao, W.
—; He, P.; He, B.: Improving the Toughness and Flame Retardancy of Cured Epoxy Resin with Brominated Castor Oil, 2530
Xie, J. See Zhao, H., 2033
Xie, W. See Cao, Y., 84
Xie, X.-M. See Ma, L., 2272
Xiongke, J. See Jing, H., 3001
Xu, J. See Ma, J., 3708
Xu, M. See Zhang, T., 2509
Xu, S. A. See Tjong, S. C., 1303
Xu, Y. See Tjong, S. C., 2330
Xue, G. See Wan, X.-B., 3160
Xue, W.
—; Yoshikawa, K.; Oshima, A.; Sato, S.; Nomura, M.: Continuous Emulsion Polymerization of Vinyl Acetate. II Operation in a Single Couette–Taylor Vortex Flow Reactor using Sodium Lauryl Sulfate as Emulsifier, 2755
—; See Nomura, M., 2748
Xue, Y.-J.
—; Cheng, X.-H.: Effect of Rare Earth Elements' Surface Treatment on Tensile Properties and Microstructure of Glass Fiber–Reinforced Polytetrafluoroethylene Composites, 1667

Yağci, Y. See Biran, C., 1663
Yamada, E. See Dai, L., 2342
Yamada, H. See Hashimoto, K., 2307
Yamada, K.
—; Iwamoto, N.; Yamane, H.; Haraguchi, T.; Kajiyama, T.: Relations between the Molecular Aggregation State and Ionic Conductivity in Photopolymerized Crosslinking Polymers with Oligo(oxyethylene) Chains, 1272
—; Yamane, H.; Haishi, T.; Yamamoto, K.; Haraguchi, T.; Kajiyama, T.: Relations Between Molecular Mixing State and Conductive Property in Blends Composed of Polyaniline and Aliphatic Copolymer Having Acid Groups, 1113
Yamaguchi, M.
—; Suzuki, K.-i.: Enhanced Strain Hardening in Elongational Viscosity for HDPE/Crosslinked HDPE Blend. II. Processability of Thermoforming, 79
—; Suzuki, K.-i.; Maeda, S.: Enhanced Strain Hardening in Elongational Viscosity for HDPE/Crosslinked HDPE Blend. I. Characteristics of Crosslinked HDPE, 73
Yamaji, A. See Adachi, T., 2261; Araki, W., 2266
Yamamoto, K. See Yamada, K., 1113
Yamane, H. See Yamada, K., 1113, 1272
Yamane, K. See Fujiyama, M., 2887
Yamasaki, H. See Oishi, T., 1092
Yamashita, S. See Mochizuki, A., 10
Yamaura, K. See Suzuki, M., 1970
Yamazaki, K. See Tanigami, T., 1807
Yamazaki, T. See Higashi, F., 2607
Yan, Y.
—; Zhi, L.; Wang, H.; Liu, J.; Zhao, T.; Yu, Y.: Acetyl-Capped Paraformaldehyde as Crosslinking Agent for BMI-Modified Novolac Resin for Resin Transfer Molding, 1265
Yang, B. See Lü, C., 589; Zhao, H., 2033
Yang, C. See Chen, Z., 2687
Yang, C.-P.
—; Liou, G.-S.; Jeng, S.-H.; Chen, R.-S.: Synthesis and Properties of Poly(amide imide)s Based on 2,2′- or 4,4′-Bis(4-aminophenoxy)biphenyl and Various Bis(trimellitimide)s, 2763
Yang, H. See Lai, M., 436
Yang, H. L. See Liu, W. J., 2145
Yang, J. See Wang, C., 2227
Yang, J.-C. See Ma, L., 2272
Yang, J.-E.
—; Kong, J.-S.; Park, S.-W.; Lee, D.-J.; Kim, H. D.: Preparation and Properties of Waterborne Polyurethane–Urea Anionomers. I. The Influence of the Degree of Neutralization and Counterion, 2375
Yang, J.-M. See Lee, R.-S., 1615
Yang, M. See Ma, J., 3708
Yang, M.-C. See Hu, S.-G., 2977
Yang, M.-H.
—; On the Thermal Degradation of Poly(styrene sulfone)s. V. Thermogravimetric Kinetic Simulation of Polyacrylamide Pyrolysis, 1540
Yang, S. M. See Chen, K. H., 414
Yang, Y.
—; Brown, H.; Li, S.: Some Sorption Characteristics of Poly(trimethylene terephthalate) with Disperse Dyes, 223
—; See Hong, K., 250; Lai, M., 436
Yang, Z.
—; Li, J.: Preparation and Characterization of Dihydroxyl Mesocyclic Diamine Derivative of Chitosan, 2677
Yao, K. D. See Liu, W. G., 259; Zheng, J. P., 1189
Yao, S.-D. See Li, R.-Q., 2217
Yatsuyanagi, F. See Suzuki, N., 1622
Ye, Q.
—; He, W.; Ge, X.; Jia, H.; Liu, H.; Zhang, Z.: Formation of Monodisperse Polyacrylamide

Particles by Radiation-Induced Dispersion Polymerization. I. Synthesis and Polymerization Kinetics, 2567
—; See Li, Y., 2067
Yeganeh, H. See Atai, M., 3246
Yeh, C.-F.
—; Wang, T.-S.; Cherng, J.-Y.; Kuo, J.-H. S.; Shau, M.-D.: The Properties of Epoxy–Imide Resin Cured by Phosphorylated Diamines Containing Different Alkyl Groups on Phosphorus, 141
Yeh, J. T. See Chwang, C. P., 2002
Yeh, R.-J. See Lin, K.-F., 3718
Yen, M.-S.
—; Cheng, C.-C.: Absorption Behavior of the Polyester Type Polyols Containing Benzene Rings Toward Poly(ethylene terephthalate) Fiber, 2967
Yeon, K.-H.
—; Lee, J.-W.; Lee, J.-S.; Moon, S.-H.: Preparation and Characterization of Cation-Exchange Media Based on Flexible Polyurethane Foams, 1773
Yeum, J. H. See Lyoo, W. S., 463
Yi, S. See Chian, K. S., 715
Yi, X.-S. See Zhang, J.-F., 3527; Zhang, X.-W., 3173; Zheng, Q., 3166
Yifeng, Z. See Jing, H., 3001
Yildirim, H. See Sarac, A., 844
Yilmaz, H. See Ünal, H. I., 1106
Yin, J. See Bian, L.-J., 2707; Wang, G., 2544
Ying, G. See Zhanhai, Y., 2626
Yokoe, M. See Okada, M., 872
Yoon, W. S. See Lyoo, W. S., 463, 3667
Yoshikawa, K. See Xue, W., 2755
Yoshikawa, M.
—; Yoshioka, T.; Fujime, J.; Murakami, A.: Pervaporation of Methanol/Methyl *tert*-Butyl Ether Mixtures Through Agarose/Hydroxyethylcellulose Blended Membranes, 3408
Yoshioka, H. See Sawada, H., 3486
Yoshioka, T. See Yoshikawa, M., 3408
You, J.-W. See Tsai, R.-S., 3652
Yu, H. See Ge, J., 2948; Qin, C., 1724
Yu, P. H. See Cheung, M. K., 1253
Yu, X. See Zhang, T., 2509
Yu, Y. See Yan, Y., 1265
Yu, Y.-H. See Fang, Q., 2279
Yuan, M. See Deng, X., 2557; Hao, J., 676
Yue, C. Y. See Chian, K. S., 715; Lee, M. W., 2070; Zhao, X., 1046
Zaichenko, A. See Medvedevskikh, Y., 3556
Zaikov, G. See Medvedevskikh, Y., 3556
Zaikov, G. E.
—; Lomakin, S. M.: Ecological Issue of Polymer Flame Retardancy, 2449
—; See Lomakin, S. M., 3300
Zanderighi, L. See Bianchi, F., 559
Zanetti, M.
—; Pizzi, A.; Beaujean, M.; Pasch, H.; Rode, K.; Dalet, P.: Acetals-Induced Strength Increase of Melamine–Urea–Formaldehyde (MUF) Polycondensation Adhesives. II. Solubility and Colloidal State Disruption, 1855
Zang, B.-L. See Hu, J.-S., 2670
Zavaglia, C. A. C. See Ferreira, B. M. P., 2898
Zdunek, K. See Ambroziak, M., 2124, 2130
Zeng, H.-M. See Li, R.-Q., 2217
Zhang, B. See Meng, F., 2682
Zhang, B.-H. See Guo, T.-Y., 3078
Zhang, B.-Y. See Hu, J.-S., 2670
Zhang, G.
—; Fu, Q.; Shen, K.; Jian, L.; Wang, Y.: Studies on Blends of High-Density Polyethylene and Polypropylene Produced by Oscillating Shear Stress Field, 58
—; See Sun, X., 3712; Wang, C., 3120
Zhang, H.
—; Magoshi, J.; Becker, M.; Chen, J.; Matsunaga, R.: Thermal Properties of *Bombyx mori* Silk Fibers, 1817
—; See Hong, K., 250; Zhao, X., 1046
Zhang, J. See Karbhari, V. M., 2255; Zuo, J., 2062
Zhang, J.-F.
—; Yi, X.-S.: Dynamic Rheological Behavior of High Density Polyethylene Filled with Carbon Black, 3527
Zhang, J. R. See Liu, W. G., 259
Zhang, L.
—; Guo, J.; Du, Y.: Morphology and Properties of Cellulose/Chitin Blends Membranes from NaOH/Thiourea Aqueous Solution, 2025
—; Huang, R.; Wang, G.; Li, L.; Ni, H.; Zhang, X.: Fibrillar Morphology of Elastomer-Modified Polypropylene: Effect of Interface Adhesion and Processing Conditions, 2085
—; See Huang, J., 1799; Ma, L., 2272; Qu, X., 428; Zheng, H., 1679
Zhang, M.
—; Ray, W. H.: Modeling of "Living" Free-Radical Polymerization Processes. I. Batch, Semibatch, and Continuous Tank Reactors, 1630
—; Ray, W. H.: Modeling of "Living" Free-Radical Polymerization Processes. II. Tubular Reactors, 1047
Zhang, Q. See Zhao, H., 2033
Zhang, T.
—; Xu, M.; Chen, H.; Yu, X.: Synthesis, Degradation, and Drug Delivery of Cycloaliphatic Poly(ester anhydride)s, 2509
Zhang, W.
—; Kiran, E.: Phase Behavior and Density of Polysulfone in Binary Fluid Mixtures of Tetrahydrofuran and Carbon Dioxide under High Pressure: Miscibility Windows, 2357
Zhang, X. See Peng, J., 3040; Zhang, L., 2085
Zhang, X.-B. See Fang, Q., 2279
Zhang, X.-W.
—; Pan, Y.; Zheng, Q.; Yi, X.-S.: Polystyrene/Sn–Pb Alloy Blends. II. Effect of Alloy Particle Surface Treatment on Dynamic Rheological Behavior, 3173
—; See Zheng, Q., 3166
Zhang, Y.
—; Shao, H.; Hu, X.: Atomic Force Microscopy of Cellulose Membranes Prepared from the *N*-Methylmorpholine-*N*-oxide/Water Solvent System, 3389
—; Wang, Z.; Wang, S.: Novel Fixed-Carrier Membranes for CO_2 Separation, 2222
Zhang, Z.
—; Wong, C. P.: Study on the Catalytic Behavior of Metal Acetylacetonates for Epoxy Curing Reactions, 1572
—; See Ye, Q., 2567; Zuo, J., 2062
Zhanhai, Y.
—; Ying, G.; Jinghua, Y.: Thermal Properties and Morphology of Noncrosslinking Linear Low-Density Polyethylene-Grafted Acrylic Acid, 2626
Zhao, B.
—; Neoh, K. G.; Kang, E. T.: Environmental Stability of Electrically Conductive Viologen–Polyaniline Systems, 2099
Zhao, H.
—; Chen, B.; Cao, Y.; Zhang, Q.; Yang, B.; Ming, H.; Xie, J.:

Characterization of Multiplets in a Nd^{3+}-Doped Polymer Optical Fiber with Low Ion Concentration, 2033

Zhao, R.
—; Dai, G.: Mechanical Property and Morphology Comparison between the Two Blends Poly(propylene)/Ethylene-Propylene-Diene Monomer Elastomer and Poly(propylene)/Maleic Anhydride-*g*-Ethylene-Propylene-Diene Monomer, 2486

Zhao, T. See Yan, Y., 1265

Zhao, X.
—; Hu, X.; Yue, C. Y.; Zhang, H.; Zhou, Q.: Erratum to "Synthesis and Characterization of Block Copolymers Containing PC Segments and PHTH-6 Mesogenic Units", 1046

Zhen, Z. See Gu, C., 1731

Zheng, H.
—; Zhou, J.; Du, Y.; Zhang, L.: Cellulose/Chitin Films Blended in NaOH/Urea Aqueous Solution, 1679

Zheng, J. P.
—; Li, P.; Ma, Y. L.; Yao, K. D.: Gelatin/Montmorillonite Hybrid Nanocomposite. I. Preparation and Properties, 1189

Zheng, Q.
—; Zhang, X.-W.; Pan, Y.; Yi, X.-S.: Polystyrene/Sn–Pb Alloy Blends. I. Dynamic Rheological Behavior, 3166
—; See Zhang, X.-W., 3173

Zhi, J. See Meng, F., 2682

Zhi, L. See Yan, Y., 1265

Zhou, D.-S. See Wan, X.-B., 3160

Zhou, G. See Li, X., 633

Zhou, J. See Zheng, H., 1679

Zhou, Q. See Zhao, X., 1046

Zhu, C. See Zuo, J., 2062

Zhu, F. See Wang, J., 656

Zhu, S. See Gu, L., 3412

Zhu, Z. See Wang, G., 2544

Zhu, Z.-K. See Bian, L.-J., 2707

Zimmermann, S. See Beekman, E., 1235

Zuo, J.
—; Huang, J.; An, Y.; Li, F.; Zhu, C.; Zhang, J.; Zhang, Z.; He, B.: A Study of Mass Transport of Linear Polystyrene in Polyethyl Methacrylate Gel by Dynamic Light Scattering, 2062

Journal of Applied Polymer Science

Subject Index—Volume 86

Ab initio, 135
Absorption, 2272
Acetals, 1855
Acetone solutions, 2601
Acetyl-capped paraformaldehyde, 1265
Acidic hydrolysis, 3412
Acrylamide, 1118, 2631, 3570
Acrylates, 3078
Acrylic acid, 3191, 3570
Acrylic acid grafted polyethylene, 2544
Acrylic acrylate copolymer, 753
Acrylic fibers, 773
Acrylic rubber, 1532
Acrylonitrile, 3596
Acrylonitrile–butadiene–styrene (ABS), 572, 2535
Activated sludge, 2307
Activation energy, 230, 957, 1540, 1558, 1572, 3336
Additives, 764, 907, 2279, 3085, 3185
Adhesion, 812, 925, 1667, 2586
Adhesives, 135, 844, 864, 1736, 1855, 3246, 3256
Adsorption, 223, 282, 901, 2574, 2677, 3440
AES resin, 428
Affinity sorbent, 3035
AFM, 422, 1248
Ageing, 395, 2255, 2662, 3636
Agglomerate size, 1622
Aging, 405
Albumin, 3346
Alignment, 17
Aliphatic polyester (APES), 2907
Alloys, 3030, 3166, 3173
Aluminum hydroxide, 2544
Amorphous, 17, 553, 2312, 3420
Amorphous region's content, 1296
Amphiphiles, 1138, 3120
Anionic type, 3461
Annealing, 186, 405, 1211, 2811
Annealing, surfaces, 2601
Aramid, 1149
Aromatic polyesters, 2515
Association, 962
Atom transfer radical polymerization (ATRP), 386, 2930
Atomic force microscopy (AFM), 1329, 3368, 3389, 3625
ATR-FTIR, 925
Au-substrate, 1248
Azacrown ether, 2677
Azo polymers, 1240, 2653
Azobisisobutyronitrile, 53
Azopolymers, 17

Banded structure, 1970
Basic hydrolysis, 3412
Bead fusion, 456
Bending behavior, 2285, 2290
Bending test simulation, 3064
Bentonite-water system, 341
Benzoyl peroxide, 1163
Bimodal polymer, 1047
Biocompatable, 676
Biocompatibility, 1092, 1157
Biodegradable, 186, 622, 676, 764, 872, 1892, 2145, 2296, 2307, 2907, 2916, 2948, 3312
Biomaterials, 186, 662, 2618, 2873, 2898, 3312
Biomembrane, 1092
Biopolymer, 2742
Biopolymers, 743, 2363, 3425
Bioriented films, 559
Biphenyl epoxy resin, 1942
Birefringence, 17, 1181
Bismaleimide, 715
Bisphenol-A, 937
Blend, 1532
Blend films, 1679
Blend membrane, 2025
Blend membranes, 3642
Blending, 449, 622, 3331
Blends, 58, 73, 79, 116, 148, 174, 239, 359, 366, 436, 540, 647, 795, 821, 891, 917, 984, 1071, 1113, 1473, 1486, 1599, 1702, 1736, 1782, 1792, 1807, 1892, 2140, 2194, 2363, 2435, 2535, 2788, 2866, 2898, 3126, 3210, 3286, 3300, 3408, 3420, 3445, 3480, 3537, 3625, 3673
Block copolymer, 1123, 1203
Block copolymers, 1807, 2916, 3120, 3316, 3355, 3652
BMI-modified novolac resin, 1265
Branch, 2153
Brominated castor oil, 2530
Bulk viscosity, 703
2-Butyl-2-ethyl-1,3-propanediol copolyesters, 1077

Carbon black, 1904
Carbon dioxide, 2222
Carbon dioxide copolymer, 2140
Carbon monoxide, 937
Carboxylated nitrile rubber, 335
Catalysis, 381, 1553, 2322, 3021
Catalyst, 3226
Catalysts, 3021, 3312
Catalytic behavior, 1572
Cationic cyclization, 2227
Cationic photopolymerization, 518
Cationic polyacrylamide, 672
Cationic polyelectrolyte gels, 1592
Cationic polymerization, 314, 1587, 3702
CD-PET, 3601
Cellulose, 1679, 1799, 2025, 2189, 2631
Ceric ammonium nitrate, 2631
Ceric ammontum nitrate, 3596
Chain, 1673
Chain scission, 1863
Chain termination, 3556
Char yield, 141, 3494
Characterization, 1848
Chemical computation, 135
Chemical permeation, 195
Chemisorption, 381
Chiral, 2523, 2670
Chitin, 1679, 2025
Chitosan, 1873, 2677, 2742, 3047
Chitosan derivative, 2742
Chitosan microsphere, 3035
Chitosan–polyallylamine interpenetrating polymer network (IPN) hydrogels, 498
Chitosan/PVAC, 3057
Chlorinated poly(vinyl chloride) (CPVC) membrane, 1195
Chlorothalonil, 596, 608, 615
Chromatography, 3396
Cibacron Blue F3GA, 3035
Clay, 1497, 2492, 2574
^{13}C-NMR, size exclusion chromatography, 2581
CO_2 laser, 3191
CO_2/octadecyl acrylate system, 372
Coagulation, 773
Coagulation conditions, 2025
Coating, 1878, 2574
Coatings, 294, 1829, 3355, 3454
Co-continuous, 2435
Cold plasma, 1445, 2618
Collagen, 1978
Colloid, 2574
Colloidal state, 1855
Colloids, 381, 2755, 3180
Compatibility, 23, 433, 540, 553, 656, 1296, 1303, 1782, 2342, 2363, 2530, 2816, 3420

Compatibilization, 148, 239, 449, 1473, 1486, 1792, 1892, 2435, 2535, 3126, 3210
Compatibilizers, 3148
Compatiblization, 3030, 3120
Complex dual sorption, 2967
Composite membrane, 2781
Composites, 282, 881, 1549, 1667, 2041, 2159, 2168, 2255, 2873, 3013, 3114, 3166, 3173
Compositional distribution, 2021
Composted soil, 2307
Compounding, 3689
Condensing agent, 2607
Conducting polymers, 1113, 1259, 1272, 1663, 1773, 2099, 2182
Conductive blends, 1163
Conjugated polymers, 395, 2682, 3316
Constraint, 993
Continuous emulsion polymerization, 2748
Continuously stirred tank reactor, 2748
Controlled release, 596, 608
Coordination, 1516
Copolyesters, 2515
Copolymer, 1684, 1931
Copolymerization, 428, 962, 1023, 1673, 1782, 1829, 1892, 1986, 2662, 2802, 3250, 3264, 3502, 3681
Core-shell polymers, 3078
Coupling agent, 1622
Coupling agents, 2168
3C plastics product, 3064
Crack propagation, 973
Crosslink density, 1959, 2701
Crosslinking, 73, 259, 335, 395, 667, 703, 948, 1023, 1172, 1272, 1607, 1959, 2140, 2194, 2429, 2887, 3040, 3210, 3286, 3616, 3740
Crystal structures, 3425
Crystallinity, 10, 230, 3601
Crystallization, 98, 148, 436, 531, 725, 734, 1009, 1077, 1211, 1318, 1351, 1363, 1373, 1599, 1931, 2124, 2130, 2145, 2416, 2492, 3445, 3660
Crystallization kinetics, 2626
Cuplumps, 703
Cure kinetics, 1942
Curing, 2385
Curing agent, 1942
Curing kinetics, 589
Curing mechanism, 1942
Curing of epoxy prepreg, 1911
Curing of polymers, 2135, 2266, 3520
Curing polymers, 3256
Cycloaliphatic epoxy resin, 3197
1,4-Cyclohexanedicarboxylic acid, 2509

Damping properties, 1904
Deformation, 2115
Degradation, 1, 186, 347, 395, 703, 1580, 1615, 1724, 1741, 2255, 2509, 2557, 2775, 3072, 3160, 3396, 3636
Degree of polymerization, 2153
Degree of saponification, 463
Dehydration, 1709
Density, 1113
Dental polymers, 3246
Dextran, 289
Diallyl diglycidyl methacrylate, 1878
Dielectric constant, 1959
Dielectric properties, 540, 821, 1702, 2363
Differential, photocalorimetry, 579
Differential scanning calorimetry, 174, 589, 1253
Differential scanning calorimetry (DSC), 386, 405, 725, 734, 764, 1278, 1599, 1868, 1953, 2194, 2811, 2860, 3512, 3520, 3581
Differential scanning colorimetry (DSC), 907
Diffusion, 90, 1564, 2611, 2701, 3185, 3570
4,4′-Dihydroxydiphenyl sulfone, 2607
Dimethylaminoethylmethacrylate, 579
Dimethyl aminoethyl methacrylate, 1057
Dimethyl carbonate (DMC), 937
Dimethyldithiocarbamic acid, 1516
Diodes, 1128
Dioxins, 2449
Dioxiranes, 314
Diphenyl carbonate (DPC), 937
Dipole–ion interactions, 433
Dispersant, 1684
Dispersion copolymerization, 2732
Dispersion polymerization, 1057, 2567
Dispersion state, 2486
Dispersions, 1106, 3322
Dissolution/reprecipitation, 1924
DLS, 2062
DMA, 3461
Dodecyl methacrylate, 1684
Donor–acceptor azobenzene moiety, 17
DR1, 2021
Drawing, 773
Drop/impact force, 3064
Drug delivery, 1592, 2509
Drug delivery systems, 1, 327, 1157, 1285, 1873
Drug release, 1592
Dry–jet–wet spinning, 773
Dry-cast process, 3205
DSC, 335, 1911, 2232, 2363
Dye, 1235
Dyes, 1181
Dyes/pigments, 891, 3005
Dynamic behavior, 2062
Dynamic mechanical analysis, 2429
Dynamic mechanical properties, 1227
Dynamic rheological, 3527

Elastic tissue, 1978
Elastomers, 239, 335, 359, 366, 1203, 1240, 1259, 1303, 2085, 2140, 2227, 2887
Electric field, 250, 2285, 2290
Electrochemical copolymerization, 2403
Electrochemistry, 1128, 2182, 3316
Electrodeionization, 1773
Electroluminescene, 2424
Electron beam, 1959
Electron beam irradiation, 2429
Electron microscopy, 1532, 2240
Electron spectroscopy for chemical analysis (ESCA)/XPS, 10
Electrorheological fluid, 1106
Elongation rate, 2115
Emulsifier-free emulsion, 3078
Emulsion polymerization, 844, 1057, 1507, 2153, 2748, 2755, 2788, 2802, 3047
Engineering plastic alloy, 656
Enthalpy of mixing, 195
Enzymes, 2067
EPDM, 428
Epoxy, 1904
Epoxy adhesive, 812
Epoxy/anhydride system, 1572
Epoxy resin, 589, 2530
ε-caprolactam, 1615
Equilibrium hydrolysis, 3412
ESCA, 1113
ESCA/XPS, 294, 1128, 2618
ESR, 1731
ESR/EPR, 3508
Esterification, 2523, 3197
Estimation, 3226
Ethylal, 1855
Ethylene vinylacetate, 2429
Ethylene–vinyl acetate copolymer, 3420
Ethylene–vinyl alcohol copolymer, 504
Ethylene-propylene-diene monomer (EPDM), 2486
Ethylene–propylene random copolymer, 1863
Evaporation model, 1564
Exfoliation, 2330
Exothermic thermal degradation, 639
Extrusion, 509, 1580, 1762, 2115

Facilitated transport, 2222
Fatigue analysis, 1995
Ferrocene polymers, 3494
Fibers, 795, 907, 1181, 1303, 1817, 2033, 2639, 2828, 3336, 3346
Fibrous glass reinforced plastics, 1123
Filler, 2574

Fillers, 540, 1436, 3013
Film blowing, 2115
Films, 518, 891, 1227, 1445, 1486, 1549, 1807, 2182, 2737, 2898, 2937, 3611, 3625
Finite volume, 1373
Fixed-carrier membranes, 2222
Flame retardance, 709, 1278, 2530
Flame retardant, 1904
Flame retardants, 2449
Flocculation, 2693
Fluorescence, 2992
Fluorescent labeled polymer, 672
Fluorine gas, 684
Fluoropolymers, 2550, 3702
Formaldehyde, 135
Fractal geometry, 973
Fracture, 821, 973, 1821, 1995, 2266
Fracture, toughness, curing of polymers, 2261
Free volume, 1959
Free-radical polymerization, 753
FT-IR, 265, 907, 1219, 1986, 3072, 3581
FTIR, 2232, 2322, 2523, 2550, 3097, 3160
FTIR spectroscopy, 3108
Fullerenes, 1549, 2737, 3001
Functionalization, 518, 2247
Functionalization of polymers, 1038, 1240, 2174, 2296, 2820
Fungicides, 615

Gamma irradiation, 2550
Gamma-irradiation, 3570
Gamma-ray initiation, 1157
Gas permeation, 881, 2222, 2611, 2811
Gas separation, 881
Gel, 504
Gel permeation chromatography (GPC), 386, 1838, 2338, 3097
Gel spinning, 1970
Gelatin, 1189
Gelation, 852, 864
Gels, 73, 79, 259, 901, 948, 3589
Glass transition, 414, 962, 1272, 1278, 1702, 1741, 1868, 2108, 2502, 3660
Glycerin, 2342
Glycidyl methacrylate, 2701, 3556
Graft copolymerization, 2631
Graft copolymers, 64, 428, 1038, 1138, 1157, 1663, 1736, 2011, 2930, 3250
Graft polymerization, 3191
Grafting, 53, 3108
Graft-IPN, 1799

HDI, 2322
HDPE/CB composites, 3527
HDPE/EVA blends, 553
Heat resistance, 1265, 1741
Heat setting, 773
Heat transfer, 2115
Heterogeneity, 3556
Heterogenous polymers, 1436
Hevea brasiliensis, 703
High performance liquid chromatography (HPLC), 327
High performance polymers, 1691, 2159, 2168
High pressure, 2357
High-density polyethylene, 23
High-density polyethylene (HDPE), 725, 734, 2873
High-impact polystyrene (HIPS), 572
High-performance fiber, 1970
^{1}H NMR imaging, 504
Hollow, 1087
Hollow fiber, 3601
Honeycomb, 1149
HSA adsorption, 3035
Humic acid, 2847
Hydrogel, 289, 3570
Hydrogels, 327, 662, 667, 1607, 2285, 2290
Hydrogen bonding, 2375
Hydrogen sulfide, 1516
Hydrolysis, 468
Hydrolysis kinetics, 3412
Hydrophilic copolymers, 1057
Hydroxyapatite, 2873

Immiscibility, 917
Immobilized enzyme, 2067
Impact modifiers, 2535
Impact resistance, 1123
Inclusion chemistry, 1549
Incompatibility, 1717
Indene copolyperoxides, 639
Indentation, 3368
Infiltration, 788
Infrared spectroscopy, 1953
Initiators, 64, 2011
Injection molding, 2873, 2873
Inorganic materials, 2707
Integrally skinned, 1564
Intercalative polymerization, 3708
Interface, 2041
Interfaces, 891, 1667, 2085, 3673
Interfacial interaction, 3148
Interfacial polymerization, 2781
Interfacial tension, 1087
Internal reference, 1507
Interpenetrating networks (IPN), 3480, 3581
Intrinsic viscosity, 2189
Intumescent systems, 2449
Inverted emulsion, 1163
Ion exchangers, 1773, 2093, 3440
Ionomer, 656
Ionomers, 33, 1106, 2033, 2611, 2811, 2907, 3180, 3660
IPN, 1844, 1904
Irradiation, 667, 1172, 2099, 2977, 3040, 3072
Isocyanates, 3681
Isomerization, 17
Isotactic, 1413
Isotactic poly(propylene), 1318, 1351, 1863
Isotactic poly(propylene) (iPP), 1363
Isotactic polystyrene, 422
Iterative dynamic programming, 993

J integral, 2435

Kinetic constant, 3226
Kinetic model, 3556
Kinetic parameter, 3226
Kinetics, 223, 230, 1572, 1630, 1868, 1911, 2093, 2322, 2755
Kinetics (polym.), 725, 734, 1009, 1731, 2992

Lactic acid oligomer, 289
Lamellae, 1211, 1318
Lamellar, 1329
Lamellar constraint, 2312
Lamellar microstructure, 43
Latex, 3078
Latex poly(ethyl acrylate), 3532
Latexes, 891
Latices, 844
LDPE, 1959
LDPE/EVA blends, 1296
Leather, 692
Light-emitting diodes (LED), 2682, 3316
Light scattering, 1838, 3205
Lignin, 1799
Linear photopolymerization, 3556
Liquid crystal, 250
Liquid crystalline polymers, 795, 3494
Liquid-crystalline polymers, 2070
Liquid–crystalline polymers, 1599
Liquid-crystalline polymers (LCP), 1886, 2653, 2670, 3673
Lithography, 1829
"Living" free-radical polymerization, 1047, 1630
Living polymerization, 3001
LLDPE-*g*-AA, 2626
Low-density polyethylene (LDPE), 2907
Low-resolution Raman spectroscopy, 1507
Luminescence, 1128, 2682, 3316

Macromonomers, 962
Magnetic field, 509
Magnetic materials, 160
Magnetic polymers, 3508
Maleic anhydride, 2330, 2486, 2887
Mass spectrometry, 2108
Mass transport, 2062
Matrix, 715, 2502
Maturation, 703

Mechanical properties, 148, 405, 478, 540, 572, 662, 709, 821, 1189, 1203, 1219, 1405, 1413, 1436, 1663, 1667, 1679, 1691, 1741, 1953, 2130, 2255, 2261, 2266, 2486, 2775, 2788, 2937, 3425, 3681
Mechanical property, 2041
Melamine resins, 1855
Melt, 1211, 2011, 2639, 2828, 3537, 3660
Melting point, 2145, 3166, 3173
Membrane, 1118, 2247, 2847
Membrane characterization, 1749
Membrane resistance, 1195
Membranes, 33, 166, 265, 526, 662, 698, 881, 1709, 1749, 2194, 2611, 2820, 2854, 3085, 3389, 3408
Mesocyclic diamine, 2677
Metal acetylacetonates, 1572
Metal-chelated adsorbents, 3346
Metal compounds, 2887
Metal–polymer complexes, 3440
Metallocene, 2054
Metallocene catalysts, 1038, 2174
Metal-organic catalysts, 381
Methacrylic acid, 3197
Methylacrylate, 2631
Methylal, 1855
Methylaluminoxane, 2054
Methyl methacrylate, 53
Microencapsulation, 1873
Microgravity simulation, 84
Microheterogeneous system, 3556
Microindentation, 43
Microorganism, 2307
Microporous membrane, 3205
Microspheres, 2557
Microstructure, 84, 1465, 1817, 2124, 2130
Miniemulsion polymerization, 1507
Miscibility, 647, 1071, 1253, 1532, 1679, 1702, 2357, 2486
Mixed solvents, 195
Modeling, 294, 622, 1047, 1351, 1373, 1630, 1911, 2312, 3210
Mode of Henry and Langmuir, 2967
Modification, 907, 1203, 2227, 2279, 2687, 2820, 2854, 2977, 3322, 3616
Modified polysiloxane, 2135
Modulus, 2079, 2312
Moisture diffusion, 2463
Moisture sensor, 2463
Molar mass distribution, 703
Molecular chain length, 703
Molecular dynamics, 116
Molecular imprinting, 3611
Molecular modeling, 1, 314
Molecular weight, 3336
Molecular weight distribution, 2338, 2921
Molecular weight distributions, 957
Monodisperse particles, 2567
Monomers, 489, 518, 2653, 2816, 3246
Montmorillonite, 1189
Morphology, 58, 98, 125, 250, 422, 478, 647, 795, 1386, 1782, 1892, 2041, 2085, 2194, 2217, 2240, 2435, 2557, 2601, 2626, 2639, 2713, 2828, 3148, 3191, 3210, 3322, 3331, 3368, 3430, 3532

Nanocomposite, 1189, 2079, 2330
Nanocomposites, 84, 160, 414, 676, 1497, 2416, 2492, 2643, 2707, 2732, 3180, 3425, 3708, 3718
Nanofiltration, 2847
Nanoparticles, 596, 608
Nanospheres, 1868
Natural fillers, 2159, 2168
Natural resins, 1848
Natural rubber, 703, 1532
Natural rubber (NR)/acrylonitrile–butadiene rubber (NBR) blends, 125
NCO/OH ratio, 3461
Necking, 3135
Network polymer, 504
Networks, 667, 852, 864, 3673
Neutralization agent, 2375
Nickel–polymer composite, 160
Nitrile rubber, 335
Nitrogen-containing polymercaptan, 589
NMR, 116, 468, 1848, 2108, 2194, 2742, 3097, 3636
Noncrosslinking, 2626
Nonionic, 2153
Nonionic surfactant, 341
Nonwoven, 1149
N-oxide polymers, 2693
N-2-pyridyl bi(methacryl)imide–containing polymer, 1673
Nuclear magnetic resonance, 1253
Nucleation, 531, 633
Numerical drop test, 3064
Nylon, 3040, 3396
Nylon4, 2307
Nylon 6, 559
Nylon 6 fiber, 3108

Oligomers, 489, 3486, 3616, 3652
Opal, 788
Optic, 1235
Optically active poly(ester-imide)s, 2211
Optics, 1558
Optimization, 993
Organic–inorganic nanocomposites, 3532
Orientation, 463, 1235, 1337, 1396, 1405, 1413, 1426, 1486, 2312, 3072
Oxadiazole, 2424
Oxazoline, 2174
Oxy-fluorination, 684

PAM with anthracene, 672
PAM with dansyl group, 672
PAM with isoindole, 672
PAM with pyrene, 672
Paper, 1855
Partex, 2385
Partial least-squares (PLS) regression, 443
Particle, 1087
Particle size distribution, 2802
Particle size distribution, stabilization, 3271
PBT, 478
Pd, 381
PEI, 1931
PEMA gel, 2062
Pendant groups, 1516
Penicillin acylase, 2067
PEO macromonomer, 2732
Performance improvement, 1855
Pervaporation, 272, 1709, 2247, 3642
PET, 1931, 3601
Phase behavior, 125, 372, 2653, 3537
Phase diagrams, 166
Phase separation, 250, 715, 1807, 2159, 2984, 3205, 3589, 3718
Phenolics, 135
Phosgene-free synthesis, 937
Phospholipids, 1092
Phosphorylated diamine curing agent, 141
Phosphorylated epoxy–imide polymer, 141
Photo, 1240
Photochemistry, 1172
Photocrosslinking, 1873, 2296, 3725
Photocuring, 692
Photodegradation, 2393
Photo-induced, 2153
Photoinitation, 3667
Photoinitiator, 518
Photoinitiators, 579
Photonic, 788
Photooxidative degradation, 1863
Photopolymerization, 579, 692, 753, 1272, 1829, 2272, 3725
Photoreaction energetics, 314
Photoreactive effects, 1023
Photoresist, 352, 1172
Photoresists, 1023
Physical properties, 125
Plant gums, 3596
Plasma treatment, 925
Plastic inhomogeneity, 43
Plasticizers, 1227
Plastics, 572, 2124
Platelet adhesion, 3191
PLM, 422
PMMA, 2021, 3047
Polarizing light microscope, 250
Poly (propylene) (PP), fillers, 2070
Poly-ε-caproamide, 1924

Poly(ε-caprolactone)s, 2296
Polyacrylamide, 272, 1540, 2567
Polyacrylates, 3725
Polyacrylic acid, 2067
Poly(acrylic acid-*co*-acrylamide), 2272
Polyacrylonitrile, 773, 2338
Polyamic acid, 812
Polyamide, 2330, 2781, 2847
Polyamides, 449, 1899, 1924, 2416, 2535, 3114, 3346, 3396, 3445
Polyaniline, 788, 1163
Polyarylates, 2607
Polyblend, 3601
Polybutadiene, 90, 3636
Poly(butylene succinate), 647
Polycarbonate, 1123
Polycarbonate precursors, 937
Polycarbonates, 872, 2921, 3085
Polycondensation, 852, 864, 872, 993, 1855, 2211, 2515, 2763
Poly(diallyldimethyl ammonium chloride), 433
Polydimethylsiloxane, 1123
Polyelectrolytes, 265, 1459, 2854, 3412
Polyester, 223, 2937, 2948
Polyesteramides, 1615
Poly(ester anhydride), 2509
Polyesters, 98, 186, 230, 821, 872, 1077, 1426, 2727, 2898, 2977, 3005, 3652, 3660
Poly(ether sulfone), 1691
Polyethers, 414, 489, 1553
Polyether-segmented nylon, 10
Polyethylene, 443, 684, 1118, 1580, 1953, 2054, 2240, 2429, 2544, 2907, 3126, 3135
Polyethylene glycol, 272
Poly(ethylene glycol), 341, 715, 948
Polyethylene (PE), 58, 73, 79, 282, 347, 405, 709, 764, 1009, 1219, 1329, 1337, 1396, 1405, 1473, 1486, 1886, 2348, 3021, 3185, 3625
Polyethylene terephthalate, 3191
Poly(ethylene terephthalate), 993
Poly(ethylene terephthalate) (PET) copolymers, 1077
Polyflavonoids, 864
Polyhexamethyleneadipamide, 1924
Polyimide, 352, 812
Polyimides, 2279, 2707, 2763, 3072
Poly(lactic acid), 1227
Polylactide, 1386, 1497
Poly(lactide-*co*-glycolide) (PLGA), 1868
Poly(L-lactic acid), 647
Polymer, 734
Polymer combustion, 2449
Polymer electrolytes, 948
Polymer nanocomposites, char former, 2449
Polymer thin films, 2021
Polymeric carriers, 2067
Polymerization, 2601, 3078, 3226
Polymers, 973
Polymethacrylates, 3725
Poly(methyl methacrylate), 2720, 3205
Polymethylsilsesquioxane, 3708
Polymorphism, 531
Poly(*N*-vinylformamide), 3412
Poly(octadecyl acrylate)/CO_2/ octadecyl acrylate system, 372
Polyolefins, 174, 2240, 3625
Polyols of the polyester type, 2967
Polyperoxide, 957
Poly(phenylene oxide), 2866
Polyphosphazene, 709
Poly(*p*-phenylenevinylene) derivatives, 2424
Polypropylene, 531, 925, 3466
Poly(propylene), 64, 2887, 3420
Poly(propylene carbonate), 2140
Polypropylene (PP), 633, 1303
Poly(propylene) (PP), 58, 359, 366, 1413, 2079, 2085, 2486, 3430, 3445, 3625
Polypyrroles, 1663
Polysaccharide, 1724
Polysaccharides, 743, 901, 1838, 1873, 2860, 3250, 3408
Polysiloxane, 468, 2408
Polysiloxanes, 2194, 2670, 3005
Polystyrene, 23, 1071, 1163, 1248, 1717, 2930, 3001, 3166
Polysulfides, 3286
Polysulfone, 2357, 2781
Polytetrafluoroethylene, 1667
Polytetrafluoroethylene (PTFE), 3454
Poly(trimethylene terephthalate), 2775
Polyurethane, 1799, 2002
Polyurethane ionomers, 1240
Polyurethanes, 17, 294, 962, 1259, 1741, 1773, 2322, 2375, 2948, 2992, 3097, 3322, 3454, 3502, 3702
Polyurethaneurea, 90
Poly(vinyl acetate), 844
Poly(vinyl acetate-*co*-vinyl alcohol), 1211
Poly(vinyl alcohol), 433, 1844, 2342, 3642
Poly(vinylamine), 3412
Poly(vinyl chloride), 3725
Poly(vinyl chloride) (PVC), 3331
Poly(vinyl ethers), 314
Polyvinylpyrrolidone, 1312
Poly(vinyl pyrrolidone), 1844
Poly(2-acryl-amido-2-methyl-1-propane sulfonic acid), 1106
Poly(3-hydroxybutyrate-co-3-hydroxyvalerate), 2145
Poly(4-methyacryloyloxyphenyl-3′,4′-dimethoxystyryl ketone), 1023
Poly(5-acetyl-2,6-dimethyl-1,4-phenylene oxide), 1071
Poly(5-benzoyl-2,6-dimethyl-1,4-phenylene oxide), 1071
Potassium salt of sulfonated syndiotactic polysryrene ionomer (SsPS-K), 656
Powder adhesive, 456
PP/EPDM blends, 3148
PPV derivatives, 2682
Preceramic additives, 2449
Preorientation, 3135
Preparation, 2557
Principal component analysis (PCA), 443
Probe, 2062
Process control, 684
Processability, 709
Processibility, 1265
Processing, 509, 1762, 2079, 3114
Production of films, 559
Property, 2342, 2921, 3057
Propylene, 3226
Propylene copolymer, 2174
Protective material, 195
Proteins, 1285
Protein separation, 3346
Pseudo(*trans*-4-hydroxy-L-proline), 1615
PVA fibers, 1970
PVDF, 3377
Pyrolysis, 1540
Pyrrole, 2403

Radiation, 553, 662, 1219, 1953, 2348, 2713, 3420
Radiation curing, 1587
Radiation effects, 1296
Radiation grafting, 1118
Radiation-induced, 2567
Radical polymerization, 1092, 1731, 1986, 2687, 2755
Raman spectroscopy, 443, 795, 3160
Reaction monitoring, 1507
Reactive compatibilization, 3466
Reactive processing, 64, 359, 366, 2159, 2168, 2174, 3030, 3445
Reactivity ratios, 639
Reactor, 1630
Recovery, 1924
Recycling, 148, 347, 456, 572, 1426, 1473, 1486, 1899, 2435, 2472, 2535, 2775, 3396
Redox initiation, 3108
Refractive index, 526
Reinforcement, 2070
Relaxation, 1868
Release agent, 2135
Renewable resource, 1724
Renewable resources, 872
Renewable sources, 743
Residence time distribution, 1047, 1630
Residual stresses, 2463

Resin, 3120
Resins, 852, 864, 984, 1436, 2255, 2953, 3256, 3440, 3718, 3740
Resin transfer molding, 1265
Resists, 1829
Resorcinol-lactose resin, 2581
Reverse osmosis, 2781
Rheological property, 463
Rheology, 23, 79, 216, 341, 509, 852, 864, 917, 1106, 1312, 1762, 2240, 2586, 2887, 2984, 3166, 3173, 3210, 3355, 3430, 3673, 3695, 3718
Ring-opening polymerization, 1553, 2296, 2916, 3312
Rotor probes, 2463
Roughness, 973
Rubber, 1762, 2227, 2701, 2816, 3120, 3368, 3712, 3718, 3718
Rubber–polyethylene blends, 2393

Sand, 2385
SEBS, 3466
Secondary batteries, 948
Segregation, 10
Selectivity, 265, 2093, 2194
Sensors, 1459
Separation, 698
Separation factor, 1607
Separation techniques, 1749, 2194, 3408
Shear, 58, 216, 1312
Shear-controlled orientation in injection molding (SCORIM), 2873
Silane, 468
Silica, 2054
Silica-filled SBR, 1622
Silicas, 3013
Silicones, 2687
Silicon oil, 2544
Silk fibrion, 2342
Silk protein, 1181
Simulation, 1540
Simulations, 993
Size distribution, 1855
Skin, 1978
Sodium aiginate, 272, 3642
Sol-gel method, 3532
Solid-state polymerization, 230
Solute loss, 2021
Solution polycondensation, 2607
Solution polymerization, 2232
Solution properties, 216, 1138, 3636
Solution viscosity–pH relationship, 2693
Solvent exchange, 504
Solvent-based recycling, 1924
Solvent-cast film, 10
Sonochemistry, 160
Soybean oil, 3097
Spectral studies, 3494
Spectroscopy, 2182
Spherulites, 98, 734, 1211, 1318
Spherulitic structure, 1373
Spinodal decomposition, 3205
s-PVA, 463
Stabilization, 2099, 2472, 3180
Starch, 53, 1157, 1792, 2907
Star-polymers, 2866
Stepwise polycondensation, 2607
Stereocomplex, 289
Stimuli-sensitive polymers, 327
Strength, 2502
Strength improvement, 1855
Stress, 1436
Structure, 1077, 1396, 1445, 1607, 2217, 2342, 2921
Structure crystallization, 633
Structure performance, 3064
Structure-property relation, 1724
Structure-property relations, 1272
Structure–property relations, 1113, 1149, 2643
Styrene, 1507, 1684, 3078
Styrene *p*-methylstyrene, 2312
Superabsorbent resin, 2272
Supercritical carbon dioxide, 2272, 2338
Supercritical CO_2, 372
Supercritical fluids, 2357
Supported catalyst, 2054
Supported poly(methyl methacrylate) (PMMA) films, 2463
Supports, 1717
Surface, 692, 1118
Surface energy, 925, 2135
Surface modification, 812
Surface pore size, 1195
Surfaces, 2618, 3173, 3368, 3625, 3702
Surface structure, 10
Surfactant, 2492
Surfactant-free nanoparticles, 615
Surfactants, 166, 844, 901, 1138, 2727, 3005, 3271
Suspension polymerization, 1057, 1087
Sustained release, 1873
Swelling, 265, 282, 327, 509, 1762, 1807, 2194, 2285, 3570, 3712
Swelling behavior, 498
Sydiotactic poly(styrene-*co*-4-methylstyrene), 2247
Syndiotactic, 1038, 2312
Syndiotacticity, 1970
Syndiotactic polystyrene (s-PS), 2492
Synthesis, 352, 2108, 2509, 2677, 2682, 3057, 3312, 3486

Tacticity, 2720
Tannins, 852
Tebuconazole, 596, 608, 615
TEM, 414, 422
Temperature gradient, 1318, 1351
Template–synthesis method, 2403
Tensile mechanical properties, 1931
Tensile property, 1622, 2907, 3461
Ternary blends, 2720
tert-Butyl acrylate, 2930
Tetrahydrofuran, 272
Theophylline, 1873
Theory, 1564
Thermal analysis, 2290
Thermal behavior, 2626
Thermal degradation, 957, 1540
Thermal polymerization, 3596
Thermal properties, 141, 489, 498, 531, 1071, 1189, 1227, 1386, 1497, 1549, 1599, 1607, 1673, 1782, 1817, 1844, 1931, 2145, 2211, 2502, 2515, 2916, 2937, 3300, 3520, 3652
Thermal stability, 3494
Thermodynamics, 2093, 3197
Thermogravimetric, 1540
Thermogravimetric analysis, 174, 1278, 2742
Thermogravimetric analysis (TGA), 428, 764, 984, 1673, 2211, 2860, 3581
Thermomechanical analysis, 3681
Thermoplastic elastomers, 2393
Thermoplastics, 2887
Thermoreversible hydrogels, 1592
Thermosets, 1821, 2643, 2953
THF, 3667
Thin film, 1248
Thin films, 692, 1459, 2601, 3425
Thio-ene addition reaction, 1878
Thiophene, 2403
Thiophosphoryl compounds, 3286
Thixotropy, 1978
Tie molecules, 1970
TI-SAB (total ionic strength adjustment buffer), 684
Toluene hydrogenation, 381
Toughening, 3466
Toughness, 715, 1821, 1886, 2085, 2266, 2523, 2530, 2535, 3740
Transcrystallinity, 725, 734
Transition metal complex, 386
Transitions, 125
Transparency, 1465
trans-Polyoctylene rubber (TOR), 125
Triphenylphosphine, 3197
Tubular reactor, 1047
Two-stage vulcanization, 3286

Ultrafiltration, 1749
Ultrasound, 23
Ultraviolet (UV) curable, 2135
Unsaturated polyester, 1904
Unsaturated polyester resin, 2502
Urea–formaldehyde, 3681
UV-curable resin, 1878
UV radiation, 2385
UV-vis, 2232

UV-vis spectroscopy, 1986
UV-Vis spectroscopy, 622

Vapor, 698
VCZ, 3667
Vermiculite, 2330
Vesicles, 1211
Vibration welding, 3377
Vinyl acetate, 2748
Vinyl acetate content, 1296
Vinyl acetate contents, 553
4-Vinyl pyridine, 3108
Viscoelastic behavior, 3527
Viscoelasticity, 478, 1978
Viscoelastic properties, 73, 79, 174, 1386, 2261, 2266, 3336, 3689, 3695
Viscometer, 1312
Viscometric constants, 2189
Viscosity, 341, 433, 1312, 1838, 2713, 2763, 2953, 3480
Viscosity ratio, 3148
Volatile compounds, 1580
Vulcanization, 1516, 1532

Waste computer equipment, 572
Water, 1516
Water + isopropanol, 3642
Water vapor, 2002
Water vapor induced phase separation, 1195
Waterborne, 2375
Water-dispersible polyurethane, 3461
Water-soluble polymers, 2984, 1138, 1172, 2567, 2727, 3271, 3412
WAXD, 2515
Welded polyethylene, 43
Welding development, 3377
Wet spinning, 773
Wire and cable insulation, 1959
Wood adhesives, 3681
Wood panels, 1855
Wood preservatives, 596, 608, 615

X-ray, 478, 1465, 1558, 3114
X-ray diffraction, 289, 386
X-ray photoelectron spectroscopy, 1092

Yielding, 2338

Zeolites, 881
Zeta potential, 341
Ziegler–Natta, 3226
Zinc dimethyldithiocarbamate, 1516
Zinc peroxide, 335
Zwitterionic sulfobetaine, 1592